

FIND OUT  
THE NEW **RS**  
EASY REPLACEMENT SYSTEM

**EXTRUDED PROFILES**  
COMPLETE RANGE

**Movex**<sup>®</sup>  
[www.movexii.com](http://www.movexii.com)

# **Movex**<sup>®</sup> EXTRUSION CENTER

We extrude for your business.

**Movex**<sup>®</sup> is a dynamic and flexible business reality that have been active in the industrial production for over ten years and is reaching market leadership as a reliable and precise supplier, planning the future without losing sight of its history and the values that allow its growth.

In the dedicated extrusion center from our production plant in Castelli Calepio (Italy), **Movex**<sup>®</sup> provides a new generation of high-performing profiles, developed and produced with the most updated technologies. Experienced engineers works around the clock on more than 50 extruders (horizontal and vertical) to perfect almost 2000 high quality extruded products destined for our customers' needs.

**Movex**<sup>®</sup> meets your needs for standard and custom made products in a dynamic and responsive way, ensuring the best performance to satisfy our customers' requirements.





## Choose the one that best suits you.

Each of the hundreds **Movex®** profiles are produced from a first rate **UHMW-PE** with the possibility to further enhance performance by using our patented materials **BluLub®** and **Titanium White®**.

Transportation is a delicate phase for your shipment, ship your order we choose the correct protection: carton, coils, reinforced wooden crate, packaging varies depending on the article typology, its size and its weight.


## Standard or customized extrusion...your choice.

**Movex®** is driven by the will to design and manufacture top quality items, combining technical performance and design, in order to offer its customers a tailor made service.

Beside of the standard available profiles, **Movex®** is also developing together with the customer innovative special solutions to offer “the product you need when you need it” against an attractive prices.

We have organized a specific workflow, developed over the course of the last ten years, which aims to satisfy the requirements of even the most demanding buyer.

Get in touch with us and ask a personalised quotation.



Design dept



Packaging dept

Born in May 2011 **Movex®** in over ten years of activity never lost its priority: *“Creating value trough innovative development of ideas and supporting our partners with professionalism, flexibility and effectiveness.”*



# BluLub®

Choose the performance of innovative material.



**BluLub®** is the Movex super-performance compounded Ultra High Molecular Weight Polyethylene material, with the latest generation of solid lubricants, able to contribute improving PV-properties (limiting pressure velocity) compared to standard UHMW-PE, especially in applications with limited lubrication, higher speeds and/or higher loads.

**BluLub®** ensures high wear and abrasion resistance, requires less energy and with the lowest coefficient of friction, improves the product stability and wear life of sliding parts.

Thanks to the **BluLub®** characteristics, the extruded profiles can also offer a longer wear life, compared to traditional materials, and will help reducing marks over products or goods sliding on them; at the same time, **BluLub®** is also ideal for extreme conditions in terms of load and speed.

More material information and technical data sheet can be provided on request, get in touch with us for a quick support.

**BluLub®** is available for any type of profile, standard or custom.



#### Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient:  $2 \times 10^{-4} \text{C}^{-1}$  ( $1.1 \times 10^{-4} \text{°F}^{-1}$ )





## Available Materials



### The right choice for:

- Lowest coefficient of friction
- Reduced noise and squeaking
- Lowest wear and minimized energy consumption
- Minimal moisture absorption
- Extreme material performances
- Best lubricant distribution



**BluLub**<sup>®</sup>

# Titanium White®

High quality, bright white extrusions.

**Titanium White®** is the latest addition in the Movex's extrusion compound family.

The name **Titanium White®** refers to the special metal because it has comparable unique properties, like high strength and optimum performance, generating low friction, absorbing heat and reducing energy consumption.


**Titanium White®** has a long lasting bright white color and keeps performances also after many hours of work.

Thanks to the **Titanium White®** characteristics, the extruded profiles are made of an intense white UHMW-PE, resulting in a smoother surface and devoid of push marks, meaning in a minimized power consumption and possible goods defect.

**Titanium White®** has also an improved UV and aging resistance and a high chemical resistance.

More material information and technical datasheets can be provided on request, get in touch with us for a quick support.

**Titanium White®** is available for any type of profile, standard or custom.



Strong metal with low density that is quite ductile, lustrous and metallic white in color.

All these features reflect our extruded profiles with **Ti-White** compound.



**Ti-White** (Example of application)

#### Properties:

- UHMW-PE Polyethylene with molecular density 9,200,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient:  $2 \times 10^{-4} \text{C}^{-1}$  ( $1.1 \times 10^{-4} \text{°F}^{-1}$ )



## Available Materials



### The right choice for:

- Lower coefficient of friction
- Lower wear and less energy consumption
- Minimal moisture absorption
- UV & aging resistance
- High chemical resistance



**Ti-White®**

# UHMW-PE

Available Materials

Standard extrusion polyethylene.

Standard profiles are all made with a first-rate **UHMW-PE** polyethylene, a thermoplastic polymer with a variable crystalline structure with a vast range of applications.

**UHMW-PE** is available in several colors and lengths. It's the perfect choice to reach your line-performance against an attractive price.



**UHMW-PE** is available for any type of profile, standard or custom.


## The right choice for:

- Low coefficient of friction
- Good resistance to wear consumption
- Attractive market price
- Long durability


### Properties:

- UHMW-PE Polyethylene with molecular density 5,600,000 g/mol.
- Operating temperature: -40 to + 80°C (-40 to 176°F)
- Linear expansion coefficient:  $2 \times 10^{-4} \text{ } ^\circ\text{C}^{-1}$  ( $1.1 \times 10^{-4} \text{ } ^\circ\text{F}^{-1}$ )

## Colors available\*:




**Black**



**Blue**



**Green**






**Grey**

\*Other colors are available on request.



# Material selection

Movex offers different materials and design solution for each customer requirements. These comparison tables help to better understand each material and take advantage of their strengths and features to suit your specific needs:



**Ti-White®** vs Traditional HMW-PE

**BluLub®** vs Traditional HMW-PE



**IMPROVED RESISTANCE**

This material can keep its color properties stable during the time. Moreover, titanium gives better sliding properties than traditional material.



**ENERGY SAVING**

Thanks to the unique solid lubricant added into the material, the sliding properties are excellent and energy consumption will be reduced.

# RS SIDE GUIDE RAIL

Easy and modular replacement label saver system.

**RS Side guide profile** is a development which enable you to simplify your business!

Thanks to the replaceable wear-strip in **BluLub®**, **RS Side guide profile** can reduce total cost of ownership: in case of required maintenace, only **BluLub®** strips can be replaced, saving time at a lower cost.

Different profiles are available from stock and can be mounted in different ways to optimize the support of your product according the specific needs.



## Increased performance

**BluLub® wearstrips** contribute to a lower friction which results in less energy consumption.



## Fast and easy maintenance

Thanks to its innovative design, the easy replaceable **BluLub® wearstrips** meets the needs to reduce maintenance time.



## Interchangeable wearstrip

Every **BluLub® wearstrip** has the same fixing system, this makes all versions interchangeable. In case of required replacement, wearstrips can be ordered as coiled spare parts.



## No gap between connection

**BluLub® wearstrip** allows you to connect two or more different base profiles with no gap, by simply slide it in.

## The right choice for:

- Innovative equipment
- TCO reduction
- Less energy consumption
- Improved product stability

**RS Side guide rail profiles** are available in various executions.

### Materials:


- Base profile: **UHMW-PE** (see details).
- Label saver: **BluLub®** polyethylene UHMW-PE with molecular density 9,200,000 g/mo. with reduced coefficient of friction and higher wear resistance and its complies with the code of Federal Regulations of FDA (see details).

# Extruded profiles range

## L-Profile


See product page for specific details and materials available.

**1094**




Page 20

**175**




Page 20

**1038**




Page 20

**150**




Page 20

**1058**



Page 21

**174**



Page 21

## Z-Profile


See product page for specific details and materials available.

**101**




Page 21

**102**



Page 21

**102**




Page 22

**176**



Page 22

**1074**




Page 22

## Special shape


See product page for specific details and materials available.

**107**




Page 22

**108**




Page 23

**105** See dimensions available



Page 23

**106**




Page 24

# J-Profile


See product page for specific details and materials available.

**103** Fit on 2 mm




Page 24

**104** Fit on 2 mm




Page 24

**179** Fit on 2 mm




Page 24

**1014** Fit on 3 mm




Page 25

**1015** Fit on 2.5 to 3.5 mm




Page 25

**1016** Fit on 3 mm




Page 25

**1017** Fit on 3 mm




Page 26

**1018** Fit on 3 mm




Page 26

**1019** Fit on 3 mm




Page 26

**1020** Fit on 3 mm




Page 27

**1068** Fit on 1.8 to 2 mm




Page 27

**1090** Fit on 1.8 to 2 mm




Page 27

**1021** Fit on 3 mm




Page 28

**1022** Fit on 3 mm




Page 28

**1023** Fit on 3 mm




Page 28

**1024** Fit on 3 mm




Page 29

**1025** Fit on 3 mm




Page 29

**1026** Fit on 3 mm




Page 29

**1027** Fit on 3 mm




Page 30

**1028** Fit on 3 mm




Page 30

**1046** Fit on 3 mm




Page 30

**1029** Fit on 3 mm




Page 31

**1030** Fit on 3 mm




Page 31

**1031** Fit on 3 mm




Page 31

**1032** Fit on 3 mm




Page 31

**1035** Fit on 3 mm




Page 32

**1033** Fit on 3 mm



Page 32

**1034** Fit on 3 mm




Page 32

# U-Profile


See product page for specific details and materials available.

**109**




Page 33

**110**




Page 33

**156**




Page 33

**156**




Page 34

**149**




Page 34

**177**




Page 34

**1059**




Page 35

**178**




Page 35

**111**




Page 35

**1060**




Page 36

**199**




Page 36

**199**




Page 36

**199 Staggered**




Page 36

**1080**




Page 37

**1081**




Page 37

**133**




Page 37

**148**




Page 38

**157**




Page 38

**157**




Page 38

**118 Stainless steel**




Page 39

**112 Stainless steel**



Page 39

**147 Aluminum**




Page 39

# C-Profile

See product page for specific details and materials available.

**1041** Fit on 25 x 5 mm




Page 39

**1082** Fit on 38.1 x 6.35 mm




Page 40

**1044** Fit on 38.1 x 12.7 mm




Page 40

**1053** Fit on 38.1 x 6.35 mm




Page 40

**1054** Fit on 38.1 x 6.35 mm




Page 41

**137** Fit on 40 x 8 mm




Page 41

**137** Fit on 40 x 8 mm




Page 41

**137** Fit on 40 x 8 mm




Page 41

**1042** Fit on 50 x 6 mm




Page 42

**1045** Fit on 50.8 x 12.7 mm




Page 42

**158** Fit on 50 x 6 mm




Page 42

**163** See dimensions available  
Used with Part. 164/165




Page 43

**160** Used with Part. 164/165




Page 44

**161** Used with Part. 164/165




Page 44

**162** Used with Part. 164/165




Page 44

**164** Aluminum




Page 45

**165** Aluminum




Page 45

**1039**




Page 45

**1083**




Page 45

**166** Fit on various dim.




Page 46

**154**




Page 46

**155**



Page 46

**134**




Page 47

# Transfer plate and Nosebar


See product page for specific details and materials available.

**199** Fit on 3 mm




Page 47

**238**




Page 47

**228**



Page 47

**235**




Page 47

# Bar cap and cover


See product page for specific details and materials available.

**1000**  
Fit on 1.5 mm




Page 48

**1001**  
Fit on 1.5 mm




Page 48

**1002**  
Fit on 3 mm




Page 48

**1003**  
Fit on 3 mm




Page 48

**1004**  
Fit on 3 mm




Page 48

**1084**  
Fit on 3 mm




Page 49

**1085**  
Fit on 3 mm




Page 49

**153**  
Fit on 4/5 mm




Page 49

**1006**  
Fit on 5 mm




Page 49

**1007**  
Fit on 5 mm




Page 50

**1040**  
Fit on 3 mm




Page 50

**1008**  
Fit on 5 mm




Page 50

**1009**  
Fit on 6 mm




Page 50

**1010**  
Fit on 6 mm




Page 51

**1086**  
Fit on 8 mm




Page 51

**1011**  
Fit on 10 mm




Page 51

**1013** Fit on 10 mm




Page 51

**1012** Fit on 12/13 mm




Page 52

**181** Fit on 25.4 x 25.4 mm




Page 52

**1052** Fit on 38.1 x 50.8 mm



Page 52

**180** Fit on 30.5 x 46 mm




Page 52

# Side guide rail *USED WITH PLATE*


See product page for specific details and materials available. | Stainless steel profiles can be ordered separately.

**1063**  
Fit on mm  
30 x 4




Page 53

**137**  
Fit on mm  
40 x 8




Page 53

**137**  
Fit on mm  
40 x 10




Page 54

**158**  
Fit on mm  
50 x 6




Page 54

**1064**  
Fit on mm  
55 x 4




Page 55

**183**  
Fit on mm  
40 x 8




Page 55

**158**  
Fit on mm  
50 x 6




Page 56

**194 Label saver**  
Fit on mm  
50 x 6




Page 56

**189**  
Fit on mm  
40 x 8




Page 57

**189 Label saver**  
Fit on mm  
40 x 8




Page 57/58

**1079 Rs**  
Fit on mm  
40 x 8




Page 58

**1079 Rs**  
Fit on mm  
40 x 8




Page 58

**189**  
Fit on mm  
50 x 6



Page 59

**189 Label saver**  
Fit on mm  
50 x 6




Page 59/60



# Side guide rail *USED WITH PLATE AND CLAMP*


See product page for specific details and materials available. | Stainless steel profiles can be ordered separately.

**135**  
Fit on mm  
60 x 6




Page 61

**136**  
Fit on mm  
60 x 6




Page 61

**1057**  
Fit on mm  
50 x 6




Page 62

**1077 Label saver**  
Fit on mm  
50 x 6




Page 62

**1077 Rs**  
Fit on mm  
50 x 6




Page 63

**1078 Rs**  
Fit on mm  
60 x 6




Page 63

**1057**  
Fit on mm  
60 x 6




Page 64

**1077 Label saver**  
Fit on mm  
60 x 6



Page 64

**1077 Rs**  
Fit on mm  
60 x 6




Page 65

**1078 Rs**  
Fit on mm  
60 x 6




Page 65

**193**  
Fit on mm  
60 x 5




Page 66

**189 Label saver**  
Fit on mm  
60 x 5




Page 66/67

**193**  
Fit on mm  
60 x 6




Page 68

**189 Label saver**  
Fit on mm  
60 x 6




Page 68/69

**1075 Rs**  
Fit on mm  
60 x 6




Page 69

**187**  
Fit on mm  
60 x 6



Page 70

**187 Label saver**  
Fit on mm  
60 x 6



Page 70

**117** Stainless steel  
Fit on mm  
40 x 6 - 40 x 8  
40 x 10



Page 71

**1055** Stainless steel  
Fit on mm  
40 x 8 - 50 x 6



Page 71

**159-1088-1089**  
Aluminum  
Fit on mm  
50 x 6 - 60 x 5  
60 x 6



Page 72

**362** Stainless steel




Page 72

# Guide rail


See product page for specific details and materials available. | Assembled with stainless steel profile AISI 304.

**119**




Page 73

**121**




Page 74

**120**




Page 75

**152**




Page 75

**1067**




Page 76

**143**




Page 76

**122**




Page 77

**123**




Page 77

**140**




Page 78

**146**




Page 78

**124**




Page 79

**141**




Page 79

**142**




Page 80

**125**




Page 80

**144**




Page 81

**184**




Page 81

**145**




Page 82

**1087**




Page 82

**191**




Page 82

**126**




Page 83

**127**




Page 83

**128**



Page 83

**129**



Page 83

# Bending machines and rollers

See product page for specific details.

**198 Electric**



Page 84

**199 Manual**



Page 84

**151**




Page 85/86

# Neck guide


See product page for specific details and materials available.

**170** Fit on 2.5 mm




Page 87

**168** Fit on 2.5 mm




Page 87

**169** Fit on 2.5 mm




Page 87

**167** Fit on 1.8/2 mm




Page 87

**192** Fit on 1.8/2 mm




Page 88

**1062** Fit on 1.8/2 mm




Page 88

**1072** Fit on 1.8/2 mm




Page 88

**1073** Fit on 1.8/2 mm




Page 88

**1076** Fit on 1.8/2 mm




Page 89

**1037** Fit on 3 mm




Page 89

**171** Fit on 3 mm



Page 89


**172** Fit on 3 mm



Page 89

**131**


TYPE A  
TYPE B



Page 90

**130** Aluminum


TYPE A



Page 90

**130** Aluminum


TYPE B



Page 90

**188**

Aluminum



Page 90

# Accessories

See product page for specific details.

**331** Stainless steel



Page 91

**345** Stainless steel



Page 91

**341** Polyamide



Page 92

**394** Stainless steel



Page 92

**351** Stainless steel



Page 93

**3004** Stainless steel



Page 93

**352** Stainless steel



Page 93

**3005** Stainless steel



Page 94

**347** Stainless steel



Page 94

**348** Stainless steel



Page 94

**346** Stainless steel



Page 95

**357** Stainless steel





Page 95

# 1094 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
109404	<b>BluLub</b>	On request	60 m coils
109403	<b>Ti-White</b>	On request	60 m coils
109401	Black	On request	60 m coils
109405	Blue	On request	60 m coils
109402	Green	On request	60 m coils

# 175 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17504	<b>BluLub</b>	On request	60 m coils
17503	<b>Ti-White</b>	On request	60 m coils
17501	Black	Stock item	60 m coils
17505	Blue	On request	60 m coils
17502	Green	Stock item	60 m coils

# 1038 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
103804	<b>BluLub</b>	On request	60 m coils
103803	<b>Ti-White</b>	On request	60 m coils
103805	Blue	On request	60 m coils

# 150 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
15004	<b>BluLub</b>	On request	60 m coils
15003	<b>Ti-White</b>	On request	60 m coils
15001	Black	Stock item	60 m coils
15005	Blue	On request	60 m coils
15002	Green	Stock item	60 m coils

# 1058 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
105800BC	<b>BluLub</b>	On request	3 m bars
105800B	<b>BluLub</b>	On request	6 m bars
105803C	<b>Ti-White</b>	On request	3 m bars
105803	<b>Ti-White</b>	On request	6 m bars
105801C	Black	Stock item	3 m bars
105801	Black	On request	6 m bars
105805C	Blue	On request	3 m bars
105805	Blue	On request	6 m bars
105802C	Green	Stock item	3 m bars
105802	Green	On request	6 m bars

# 174 L-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17404C	<b>BluLub</b>	On request	3 m bars
17404	<b>BluLub</b>	On request	6 m bars
17403C	<b>Ti-White</b>	On request	3 m bars
17403	<b>Ti-White</b>	On request	6 m bars
17401C	Black	Stock item	3 m bars
17401	Black	On request	6 m bars
17405C	Blue	On request	3 m bars
17405	Blue	On request	6 m bars
17402C	Green	Stock item	3 m bars
17402	Green	On request	6 m bars

# 101 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10104	<b>BluLub</b>	On request	60 m coils
10103	<b>Ti-White</b>	On request	60 m coils
10101	Black	Stock item	60 m coils
10105	Blue	On request	60 m coils
10102	Green	Stock item	60 m coils

# 102 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10202B	<b>BluLub</b>	Stock item	60 m coils
10203	<b>Ti-White</b>	On request	60 m coils
10201	Black	Stock item	60 m coils
10205	Blue	On request	60 m coils
10202	Green	Stock item	60 m coils

# 102 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10299B	<b>BluLub</b>	Stock item	60 m coils
10293	<b>Ti-White</b>	On request	60 m coils
10297	Black	On request	60 m coils
10295	Blue	On request	60 m coils
10298	Green	Stock item	60 m coils

# 176 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17604	<b>BluLub</b>	On request	60 m coils
17603	<b>Ti-White</b>	On request	60 m coils
17601	Black	On request	60 m coils
17605	Blue	On request	60 m coils
17602	Green	Stock item	60 m coils

# 1074 Z-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
107404	<b>BluLub</b>	On request	60 m coils
107403	<b>Ti-White</b>	On request	60 m coils
107401	Black	Stock item	60 m coils
107405	Blue	On request	60 m coils

# 107 Wear strip

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**



Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
10704	<b>BluLub</b>	On request	60 m coils
10703	<b>Ti-White</b>	Stock item	60 m coils
10701	Black	On request	60 m coils
10705	Blue	On request	60 m coils
10702	Green	Stock item	60 m coils

# 108 T-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**





Article-Nr.	Material	Availability	Supply
<b>10800BC</b>	<b>BluLub</b>	On request	3 m bars
<b>10800B</b>	<b>BluLub</b>	Stock item	6 m bars
<b>10803C</b>	<b>Ti-White</b>	On request	3 m bars
<b>10803</b>	<b>Ti-White</b>	On request	6 m bars
<b>10801C</b>	Black	Stock item	3 m bars
<b>10801</b>	Black	On request	6 m bars
<b>10805C</b>	Blue	On request	3 m bars
<b>10805</b>	Blue	On request	6 m bars
<b>10802C</b>	Green	Stock item	3 m bars
<b>10802</b>	Green	Stock item	6 m bars

# 105 Flat Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	A	A	Availability	Supply
<b>10502BL</b>	<b>BluLub</b>	20	3	On request	60 m coils
<b>10504BL</b>	<b>BluLub</b>	20	5	On request	60 m coils
<b>10595BL</b>	<b>BluLub</b>	25	3	On request	60 m coils
<b>10592BL</b>	<b>BluLub</b>	30	3	On request	60 m coils
<b>10594BL</b>	<b>BluLub</b>	30	5	On request	60 m coils
<b>10596BL</b>	<b>BluLub</b>	40	3	On request	60 m coils
<b>10597BL</b>	<b>BluLub</b>	50	3	On request	60 m coils
<b>10506BL</b>	<b>BluLub</b>	60	3	On request	60 m coils
<b>10508BL</b>	<b>BluLub</b>	70	3	On request	60 m coils
<b>10510BL</b>	<b>BluLub</b>	100	3	On request	60 m coils
<b>10502W</b>	<b>Ti-White</b>	20	3	On request	60 m coils
<b>10504W</b>	<b>Ti-White</b>	20	5	On request	60 m coils
<b>10595W</b>	<b>Ti-White</b>	25	3	On request	60 m coils
<b>10592W</b>	<b>Ti-White</b>	30	3	On request	60 m coils
<b>10594W</b>	<b>Ti-White</b>	30	5	On request	60 m coils
<b>10596W</b>	<b>Ti-White</b>	40	3	On request	60 m coils
<b>10597W</b>	<b>Ti-White</b>	50	3	On request	60 m coils
<b>10506W</b>	<b>Ti-White</b>	60	3	On request	60 m coils
<b>10508W</b>	<b>Ti-White</b>	70	3	On request	60 m coils
<b>10510W</b>	<b>Ti-White</b>	100	3	On request	60 m coils
<b>10501</b>	Black	20	3	Stock item	60 m coils
<b>10503</b>	Black	20	5	Stock item	60 m coils
<b>10505</b>	Black	60	3	Stock item	60 m coils
<b>10507</b>	Black	70	3	Stock item	60 m coils
<b>10509</b>	Black	100	3	On request	60 m coils
<b>10501B</b>	Blue	20	3	On request	60 m coils
<b>10503B</b>	Blue	20	5	On request	60 m coils
<b>10505B</b>	Blue	60	3	On request	60 m coils
<b>10507B</b>	Blue	70	3	On request	60 m coils
<b>10509B</b>	Blue	100	3	On request	60 m coils
<b>10502</b>	Green	20	3	Stock item	60 m coils
<b>10504</b>	Green	20	5	Stock item	60 m coils
<b>10595</b>	Green	25	3	Stock item	60 m coils
<b>10592</b>	Green	30	3	On request	60 m coils
<b>10594</b>	Green	30	5	Stock item	60 m coils
<b>10596</b>	Green	40	3	Stock item	60 m coils
<b>10597</b>	Green	50	3	On request	60 m coils
<b>10506</b>	Green	60	3	Stock item	60 m coils
<b>10508</b>	Green	70	3	Stock item	60 m coils
<b>10510</b>	Green	100	3	Stock item	60 m coils

# 106 Flat Profile with nose

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10604	<b>BluLub</b>	On request	60 m coils
10601	<b>Ti-White</b>	Stock item	60 m coils
10605	Blue	On request	60 m coils
10602	Green	Stock item	60 m coils

# 103 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10300B-30	<b>BluLub</b>	Stock item	30 m coils
10303	<b>Ti-White</b>	Stock item	60 m coils
10301	Black	Stock item	60 m coils
10305	Blue	On request	60 m coils
10302	Green	Stock item	60 m coils

# 104 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
10400B	<b>BluLub</b>	Stock item	60 m coils
10403	<b>Ti-White</b>	On request	60 m coils
10401	Black	Stock item	60 m coils
10405	Blue	On request	60 m coils
10402	Green	Stock item	60 m coils

# 179 J-Profile

Fit on 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17902BC	<b>BluLub</b>	On request	3 m bars
17902B	<b>BluLub</b>	On request	6 m bars
17902B-60	<b>BluLub</b>	Stock item	60 m coils
17902WC	<b>Ti-White</b>	On request	3 m bars
17902W	<b>Ti-White</b>	On request	6 m bars
17902W-60	<b>Ti-White</b>	On request	60 m coils
17901C	Black	Stock item	3 m bars
17901	Black	On request	6 m bars
17901BC	Blue	On request	3 m bars
17901B	Blue	On request	6 m bars
17901B-60	Blue	On request	60 m coils
17902C	Green	Stock item	3 m bars
17902	Green	On request	6 m bars
17902-60	Green	Stock item	60 m coils



# 1014 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101400BC	<b>BluLub</b>	On request	3 m bars
101400B	<b>BluLub</b>	On request	6 m bars
101400B-30	<b>BluLub</b>	On request	30 m coils
101403C	<b>Ti-White</b>	Stock item	3 m bars
101403	<b>Ti-White</b>	On request	6 m bars
101403-30	<b>Ti-White</b>	Stock item	30 m coils
101405C	Blue	On request	3 m bars
101405	Blue	On request	6 m bars
101405-30	Blue	On request	30 m coils

# 1015 J-Profile

Fit on 2,5 to 3,5 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101500BC	<b>BluLub</b>	On request	3 m bars
101500B	<b>BluLub</b>	On request	6 m bars
101500B-30	<b>BluLub</b>	On request	30 m coils
101503C	<b>Ti-White</b>	On request	3 m bars
101503	<b>Ti-White</b>	On request	6 m bars
101503-30	<b>Ti-White</b>	On request	30 m coils
101505C	Blue	On request	3 m bars
101505	Blue	On request	6 m bars
101505-30	Blue	On request	30 m coils

# 1016 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101600BC	<b>BluLub</b>	On request	3 m bars
101600B	<b>BluLub</b>	On request	6 m bars
101600B-30	<b>BluLub</b>	On request	30 m coils
101603C	<b>Ti-White</b>	Stock item	3 m bars
101603	<b>Ti-White</b>	On request	6 m bars
101603-30	<b>Ti-White</b>	Stock item	30 m coils
101601C	Black	On request	3 m bars
101601	Black	On request	6 m bars
101601-30	Black	On request	30 m coils
101605C	Blue	On request	3 m bars
101605	Blue	On request	6 m bars
101605-30	Blue	On request	30 m coils
101602C	Green	On request	3 m bars
101602	Green	On request	6 m bars
101602-30	Green	On request	30 m coils

# 1017 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101700BC	<b>BluLub</b>	On request	3 m bars
101700B	<b>BluLub</b>	On request	6 m bars
101700B-30	<b>BluLub</b>	On request	30 m coils
101703C	<b>Ti-White</b>	Stock item	3 m bars
101703	<b>Ti-White</b>	On request	6 m bars
101703-30	<b>Ti-White</b>	Stock item	30 m coils
101701C	Black	On request	3 m bars
101701	Black	On request	6 m bars
101701-30	Black	On request	30 m coils
101705C	Blue	On request	3 m bars
101705	Blue	On request	6 m bars
101705-30	Blue	On request	30 m coils
101702C	Green	On request	3 m bars
101702	Green	On request	6 m bars
101702-30	Green	On request	30 m coils

# 1018 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101800BC	<b>BluLub</b>	On request	3 m bars
101800B	<b>BluLub</b>	On request	6 m bars
101800-30	<b>BluLub</b>	On request	30 m coils
101803C	<b>Ti-White</b>	Stock item	3 m bars
101803	<b>Ti-White</b>	On request	6 m bars
101803-30	<b>Ti-White</b>	On request	30 m coils
101805C	Blue	On request	3 m bars
101805	Blue	On request	6 m bars
101805-30	Blue	On request	30 m coils

# 1019 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101900BC	<b>BluLub</b>	On request	3 m bars
101900B	<b>BluLub</b>	On request	6 m bars
101900B-30	<b>BluLub</b>	On request	30 m coils
101903C	<b>Ti-White</b>	Stock item	3 m bars
101903	<b>Ti-White</b>	On request	6 m bars
101903-30	<b>Ti-White</b>	On request	30 m coils
101905C	Blue	On request	3 m bars
101905	Blue	On request	6 m bars
101905-30	Blue	On request	30 m coils

# 1020 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>102000BC</b>	<b>BluLub</b>	On request	3 m bars
<b>102000B</b>	<b>BluLub</b>	On request	6 m bars
<b>102003C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>102003</b>	<b>Ti-White</b>	Stock item	6 m bars
<b>102001C</b>	Black	On request	3 m bars
<b>102001</b>	Black	On request	6 m bars
<b>102005C</b>	Blue	On request	3 m bars
<b>102005</b>	Blue	On request	6 m bars
<b>102002C</b>	Green	On request	3 m bars
<b>102002</b>	Green	On request	6 m bars

# 1068 J-Profile

Fit on 1,8 to 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>106800B</b>	<b>BluLub</b>	Stock item	30 m coils
<b>106802</b>	<b>Ti-White</b>	On request	30 m coils
<b>106805</b>	Blue	On request	30 m coils

# 1090 J-Profile

Fit on 1,8 to 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>109000B</b>	<b>BluLub</b>	On request	30 m coils
<b>109002</b>	<b>Ti-White</b>	On request	30 m coils
<b>109005</b>	Blue	On request	30 m coils

# 1021 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102100BC	<b>BluLub</b>	On request	3 m bars
102100B	<b>BluLub</b>	On request	6 m bars
102100B-30	<b>BluLub</b>	On request	30 m coils
102103C	<b>Ti-White</b>	Stock item	3 m bars
102103	<b>Ti-White</b>	On request	6 m bars
102103-30	<b>Ti-White</b>	Stock item	30 m coils
102101C	Black	On request	3 m bars
102101	Black	On request	6 m bars
102101-30	Black	On request	30 m coils
102105C	Blue	On request	3 m bars
102105	Blue	On request	6 m bars
102105-30	Blue	On request	30 m coils
102102C	Green	On request	3 m bars
102102	Green	On request	6 m bars
102102-30	Green	On request	30 m coils

# 1022 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102200BC	<b>BluLub</b>	On request	3 m bars
102200B	<b>BluLub</b>	On request	6 m bars
102200B-30	<b>BluLub</b>	On request	30 m coils
102203C	<b>Ti-White</b>	Stock item	3 m bars
102203	<b>Ti-White</b>	On request	6 m bars
102203-30	<b>Ti-White</b>	On request	30 m coils
102205C	Blue	On request	3 m bars
102205	Blue	On request	6 m bars
102205-30	Blue	On request	30 m coils

# 1023 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102300BC	<b>BluLub</b>	On request	3 m bars
102300B	<b>BluLub</b>	On request	6 m bars
102303C	<b>Ti-White</b>	Stock item	3 m bars
102303	<b>Ti-White</b>	On request	6 m bars
102305C	Blue	On request	3 m bars
102305	Blue	On request	6 m bars

# 1024 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102400BC	<b>BluLub</b>	On request	3 m bars
102400B	<b>BluLub</b>	On request	6 m bars
102400B-30	<b>BluLub</b>	On request	30 m coils
102403C	<b>Ti-White</b>	Stock item	3 m bars
102403	<b>Ti-White</b>	On request	6 m bars
102403-30	<b>Ti-White</b>	Stock item	30 m coils
102401C	Black	On request	3 m bars
102401	Black	On request	6 m bars
102401-30	Black	On request	30 m coils
102405C	Blue	On request	3 m bars
102405	Blue	On request	6 m bars
102405-30	Blue	On request	30 m coils
102402C	Green	Stock item	3 m bars
102402	Green	Stock item	6 m bars
102402-30	Green	On request	30 m coils

# 1025 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102500BC	<b>BluLub</b>	On request	3 m bars
102500B	<b>BluLub</b>	On request	6 m bars
102500B-30	<b>BluLub</b>	On request	30 m coils
102503C	<b>Ti-White</b>	Stock item	3 m bars
102503	<b>Ti-White</b>	On request	6 m bars
102503-30	<b>Ti-White</b>	Stock item	30 m coils
102501C	Black	On request	3 m bars
102501	Black	On request	6 m bars
102501-30	Black	On request	30 m coils
102505C	Blue	On request	3 m bars
102505	Blue	On request	6 m bars
102505-30	Blue	On request	30 m coils
102502C	Green	On request	3 m bars
102502	Green	On request	6 m bars
102502-30	Green	On request	30 m coils

# 1026 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102600BC	<b>BluLub</b>	On request	3 m bars
102600B	<b>BluLub</b>	On request	6 m bars
102600B-30	<b>BluLub</b>	On request	30 m coils
102603C	<b>Ti-White</b>	Stock item	3 m bars
102603	<b>Ti-White</b>	On request	6 m bars
102603-30	<b>Ti-White</b>	On request	30 m coils
102605C	Blue	On request	3 m bars
102605	Blue	On request	6 m bars
102605-30	Blue	On request	30 m coils

# 1027 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102700BC	<b>BluLub</b>	On request	3 m bars
102700B	<b>BluLub</b>	On request	6 m bars
102704-30	<b>BluLub</b>	On request	30 m coils
102703C	<b>Ti-White</b>	Stock item	3 m bars
102703	<b>Ti-White</b>	On request	6 m bars
102703-30	<b>Ti-White</b>	On request	30 m coils
102705C	Blue	On request	3 m bars
102705	Blue	On request	6 m bars
102705-30	Blue	On request	30 m coils

# 1028 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102800BC	<b>BluLub</b>	On request	3 m bars
102800B	<b>BluLub</b>	On request	6 m bars
102804-30	<b>BluLub</b>	On request	30 m coils
102803C	<b>Ti-White</b>	Stock item	3 m bars
102803	<b>Ti-White</b>	On request	6 m bars
102803-30	<b>Ti-White</b>	Stock item	30 m coils
102805C	Blue	On request	3 m bars
102805	Blue	On request	6 m bars
102805-30	Blue	On request	30 m coils

# 1046 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
104600BC	<b>BluLub</b>	On request	3 m bars
104600B	<b>BluLub</b>	On request	6 m bars
104600B-30	<b>BluLub</b>	Stock item	30 m coils
104603C	<b>Ti-White</b>	Stock item	3 m bars
104603	<b>Ti-White</b>	On request	6 m bars
104603-30	<b>Ti-White</b>	Stock item	30 m coils
104601C	Black	On request	3 m bars
104601	Black	On request	6 m bars
104601-30	Black	On request	30 m coils
104605C	Blue	On request	3 m bars
104605	Blue	On request	6 m bars
104605-30	Blue	On request	30 m coils
104602C	Green	Stock item	3 m bars
104602	Green	On request	6 m bars
104602-30	Green	Stock item	30 m coils

# 1029 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
102900BC	<b>BluLub</b>	On request	3 m bars
102900B	<b>BluLub</b>	On request	6 m bars
102900B-30	<b>BluLub</b>	On request	30 m coils
102903C	<b>Ti-White</b>	Stock item	3 m bars
102903	<b>Ti-White</b>	On request	6 m bars
102903-30	<b>Ti-White</b>	On request	30 m coils
102905C	Blue	On request	3 m bars
102905	Blue	On request	6 m bars
102905-30	Blue	On request	30 m coils

# 1030 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
103000BC	<b>BluLub</b>	On request	3 m bars
103000B	<b>BluLub</b>	On request	6 m bars
103003C	<b>Ti-White</b>	Stock item	3 m bars
103003	<b>Ti-White</b>	On request	6 m bars
103005C	Blue	On request	3 m bars
103005	Blue	On request	6 m bars

# 1031 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
103100BC	<b>BluLub</b>	Stock item	3 m bars
103100B	<b>BluLub</b>	On request	6 m bars
103103C	<b>Ti-White</b>	Stock item	3 m bars
103103	<b>Ti-White</b>	Stock item	6 m bars
103105C	Blue	On request	3 m bars
103105	Blue	On request	6 m bars

# 1032 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
103200BC	<b>BluLub</b>	On request	3 m bars
103200B	<b>BluLub</b>	On request	6 m bars
103203C	<b>Ti-White</b>	Stock item	3 m bars
103203	<b>Ti-White</b>	On request	6 m bars
103205C	Blue	On request	3 m bars
103205	Blue	On request	6 m bars

# 1035 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>103500BC</b>	<b>BluLub</b>	On request	3 m bars
<b>103500B</b>	<b>BluLub</b>	On request	6 m bars
<b>103503C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>103503</b>	<b>Ti-White</b>	On request	6 m bars
<b>103505C</b>	Blue	On request	3 m bars
<b>103505</b>	Blue	On request	6 m bars

# 1033 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>103300BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>103300B</b>	<b>BluLub</b>	On request	6 m bars
<b>103303C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>103303</b>	<b>Ti-White</b>	On request	6 m bars
<b>103305C</b>	Blue	On request	3 m bars
<b>103305</b>	Blue	On request	6 m bars

# 1034 J-Profile

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>103400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>103400B</b>	<b>BluLub</b>	On request	6 m bars
<b>103403C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>103403</b>	<b>Ti-White</b>	On request	6 m bars
<b>103405C</b>	Blue	On request	3 m bars
<b>103405</b>	Blue	On request	6 m bars



# 109 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>10901BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>10901B</b>	<b>BluLub</b>	On request	6 m bars
<b>10901B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>10903C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>10903</b>	<b>Ti-White</b>	Stock item	6 m bars
<b>10903-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>10901C</b>	Black	Stock item	3 m bars
<b>10901</b>	Black	Stock item	6 m bars
<b>10901-30</b>	Black	Stock item	30 m coils
<b>10905C</b>	Blue	On request	3 m bars
<b>10905</b>	Blue	On request	6 m bars
<b>10905-30</b>	Blue	On request	30 m coils
<b>10902C</b>	Green	Stock item	3 m bars
<b>10902</b>	Green	Stock item	6 m bars
<b>10902-30</b>	Green	On request	30 m coils

# 110 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>11000BC</b>	<b>BluLub</b>	On request	3 m bars
<b>11000B</b>	<b>BluLub</b>	On request	6 m bars
<b>11000B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>11003C</b>	<b>Ti-White</b>	On request	3 m bars
<b>11003</b>	<b>Ti-White</b>	On request	6 m bars
<b>11003-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>11001C</b>	Black	Stock item	3 m bars
<b>11001</b>	Black	On request	6 m bars
<b>11001-30</b>	Black	On request	30 m coils
<b>11005C</b>	Blue	On request	3 m bars
<b>11005</b>	Blue	On request	6 m bars
<b>11005-30</b>	Blue	On request	30 m coils
<b>11002C</b>	Green	Stock item	3 m bars
<b>11002</b>	Green	On request	6 m bars
<b>11002-30</b>	Green	On request	30 m coils

# 156 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>15601BC</b>	<b>BluLub</b>	On request	3 m bars
<b>15601B</b>	<b>BluLub</b>	On request	6 m bars
<b>15603C</b>	<b>Ti-White</b>	On request	3 m bars
<b>15603</b>	<b>Ti-White</b>	On request	6 m bars
<b>15601C</b>	Black	Stock item	3 m bars
<b>15601</b>	Black	On request	6 m bars
<b>15605C</b>	Blue	On request	3 m bars
<b>15605</b>	Blue	On request	6 m bars
<b>15602C</b>	Green	Stock item	3 m bars
<b>15602</b>	Green	On request	6 m bars

# 156 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>15699BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>15699WC</b>	<b>Ti-White</b>	On request	3 m bars
<b>15699NC</b>	Black	On request	3 m bars
<b>15695C</b>	Blue	On request	3 m bars
<b>15699C</b>	Green	Stock item	3 m bars

# 149 U-Profile with nose

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>14950BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14950B</b>	<b>BluLub</b>	On request	6 m bars
<b>14953C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14953</b>	<b>Ti-White</b>	On request	6 m bars
<b>14950C</b>	Black	Stock item	3 m bars
<b>14950</b>	Black	On request	6 m bars
<b>14955C</b>	Blue	On request	3 m bars
<b>14955</b>	Blue	On request	6 m bars
<b>14952C</b>	Green	Stock item	3 m bars
<b>14952</b>	Green	On request	6 m bars

# 177 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>17701BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>17701B</b>	<b>BluLub</b>	On request	6 m bars
<b>17701B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>17703C</b>	<b>Ti-White</b>	On request	3 m bars
<b>17703</b>	<b>Ti-White</b>	On request	6 m bars
<b>17703-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>17701C</b>	Black	Stock item	3 m bars
<b>17701</b>	Black	Stock item	6 m bars
<b>17701-30</b>	Black	On request	30 m coils
<b>17705C</b>	Blue	On request	3 m bars
<b>17705</b>	Blue	On request	6 m bars
<b>17705-30</b>	Blue	On request	30 m coils
<b>17702C</b>	Green	Stock item	3 m bars
<b>17702</b>	Green	On request	6 m bars
<b>17702-30</b>	Green	On request	30 m coils

# 1059

## U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
105901BC	<b>BluLub</b>	Stock item	3 m bars
105901B	<b>BluLub</b>	On request	6 m bars
105901B-30	<b>BluLub</b>	On request	30 m coils
105903C	<b>Ti-White</b>	On request	3 m bars
105903	<b>Ti-White</b>	On request	6 m bars
105903-30	<b>Ti-White</b>	On request	30 m coils
105901C	Black	Stock item	3 m bars
105901	Black	On request	6 m bars
105901-30	Black	On request	30 m coils
105905C	Blue	On request	3 m bars
105905	Blue	On request	6 m bars
105905-30	Blue	On request	30 m coils
105902C	Green	Stock item	3 m bars
105902	Green	On request	6 m bars
105902-30	Green	On request	30 m coils

# 178

## U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17801BC	<b>BluLub</b>	Stock item	3 m bars
17801B	<b>BluLub</b>	On request	6 m bars
17801B-30	<b>BluLub</b>	Stock item	30 m coils
17803C	<b>Ti-White</b>	On request	3 m bars
17803	<b>Ti-White</b>	On request	6 m bars
17803-30	<b>Ti-White</b>	Stock item	30 m coils
17801C	Black	Stock item	3 m bars
17801	Black	On request	6 m bars
17801-30	Black	On request	30 m coils
17805C	Blue	On request	3 m bars
17805	Blue	On request	6 m bars
17805-30	Blue	On request	30 m coils
17802C	Green	Stock item	3 m bars
17802	Green	On request	6 m bars
17802-30	Green	Stock item	30 m coils

# 111

## U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
11101BC	<b>BluLub</b>	Stock item	3 m bars
11101B	<b>BluLub</b>	On request	6 m bars
11101B-30	<b>BluLub</b>	On request	30 m coils
11103C	<b>Ti-White</b>	On request	3 m bars
11103	<b>Ti-White</b>	On request	6 m bars
11103-30	<b>Ti-White</b>	On request	30 m coils
11101C	Black	Stock item	3 m bars
11101	Black	Stock item	6 m bars
11101-30	Black	Stock item	30 m coils
11105C	Blue	On request	3 m bars
11105	Blue	On request	6 m bars
11105-30	Blue	On request	30 m coils
11102C	Green	Stock item	3 m bars
11102	Green	Stock item	6 m bars
11102-30	Green	On request	30 m coils

# 1060 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>106000BC</b>	<b>BluLub</b>	On request	3 m bars
<b>106000B</b>	<b>BluLub</b>	On request	6 m bars
<b>106003C</b>	<b>Ti-White</b>	On request	3 m bars
<b>106003</b>	<b>Ti-White</b>	On request	6 m bars
<b>106001C</b>	Black	Stock item	3 m bars
<b>106001</b>	Black	On request	6 m bars
<b>106005C</b>	Blue	On request	3 m bars
<b>106005</b>	Blue	On request	6 m bars
<b>106002C</b>	Green	Stock item	3 m bars
<b>106002</b>	Green	Stock item	6 m bars

# 199 U-Profile

Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>19976BC</b>	<b>BluLub</b>	On request	3 m bars
<b>19976B</b>	<b>BluLub</b>	On request	6 m bars
<b>19976C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>19976</b>	<b>Ti-White</b>	On request	6 m bars
<b>19976BLC</b>	Blue	On request	3 m bars
<b>19976BL</b>	Blue	On request	6 m bars

# 199 U-Profile



Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>19944B-30</b>	<b>BluLub</b>	Stock item	30 m coils
<b>19944W-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>19944-30</b>	Black	On request	30 m coils
<b>19944BL-30</b>	Blue	On request	30 m coils
<b>19940-30</b>	Green	Stock item	30 m coils

## Staggered version





Article-Nr.	Material	Availability	Supply
<b>19945B-30</b>	<b>BluLub</b>	Stock item	30 m coils
<b>19945W-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>19945-30</b>	Black	Stock item	30 m coils
<b>19945BL-30</b>	Blue	On request	30 m coils
<b>19946-30</b>	Green	Stock item	30 m coils

# 1080 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108000C</b>	<b>BluLub</b>	On request	3 m bars
<b>108003C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108001C</b>	Black	On request	3 m bars
<b>108005C</b>	Blue	On request	3 m bars
<b>108002C</b>	Green	On request	3 m bars

# 1081 U-Profile

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108100BC</b>	<b>BluLub</b>	On request	3 m bars
<b>108100B</b>	<b>BluLub</b>	On request	6 m bars
<b>108103C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108103</b>	<b>Ti-White</b>	On request	6 m bars
<b>108101C</b>	Black	On request	3 m bars
<b>108101</b>	Black	On request	6 m bars
<b>108105C</b>	Blue	On request	3 m bars
<b>108105</b>	Blue	On request	6 m bars
<b>108102C</b>	Green	On request	3 m bars
<b>108102</b>	Green	On request	6 m bars

# 133 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Metal	Availability	Supply
<b>13305BC</b>	<b>BluLub</b>	AISI 304	Stock item	3 m bars
<b>13305B</b>	<b>BluLub</b>	AISI 304	On request	6 m bars
<b>13307C</b>	<b>Ti-White</b>	AISI 304	On request	3 m bars
<b>13307</b>	<b>Ti-White</b>	AISI 304	On request	6 m bars
<b>13303C</b>	Black	AISI 304	Stock item	3 m bars
<b>13303</b>	Black	AISI 304	On request	6 m bars
<b>13303BLC</b>	Blue	AISI 304	On request	3 m bars
<b>13303BL</b>	Blue	AISI 304	On request	6 m bars
<b>13301C</b>	Green	AISI 304	Stock item	3 m bars
<b>13301</b>	Green	AISI 304	On request	6 m bars
Article-Nr.	Material	Metal	Availability	Supply
<b>13306BC</b>	<b>BluLub</b>	AISI 430	Stock item	3 m bars
<b>13306B</b>	<b>BluLub</b>	AISI 430	On request	6 m bars
<b>13308C</b>	<b>Ti-White</b>	AISI 430	On request	3 m bars
<b>13308</b>	<b>Ti-White</b>	AISI 430	On request	6 m bars
<b>13304C</b>	Black	AISI 430	Stock item	3 m bars
<b>13304</b>	Black	AISI 430	On request	6 m bars
<b>13304BLC</b>	Blue	AISI 430	On request	3 m bars
<b>13304BL</b>	Blue	AISI 430	On request	6 m bars
<b>13302C</b>	Green	AISI 430	Stock item	3 m bars
<b>13302</b>	Green	AISI 430	On request	6 m bars

# 148 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>14801BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>14801B</b>	<b>BluLub</b>	On request	6 m bars
<b>14803C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14803</b>	<b>Ti-White</b>	On request	6 m bars
<b>14802C</b>	Black	Stock item	3 m bars
<b>14802</b>	Black	On request	6 m bars
<b>14805C</b>	Blue	On request	3 m bars
<b>14805</b>	Blue	On request	6 m bars
<b>14801C</b>	Green	Stock item	3 m bars
<b>14801</b>	Green	On request	6 m bars

# 157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Metal	Availability	Supply
<b>15700BC</b>	<b>BluLub</b>	AISI 304	On request	3 m bars
<b>15700B</b>	<b>BluLub</b>	AISI 304	On request	6 m bars
<b>15703C</b>	<b>Ti-White</b>	AISI 304	On request	3 m bars
<b>15703</b>	<b>Ti-White</b>	AISI 304	On request	6 m bars
<b>15704C</b>	Black	AISI 304	On request	3 m bars
<b>15704</b>	Black	AISI 304	On request	6 m bars
<b>15705C</b>	Blue	AISI 304	On request	3 m bars
<b>15705</b>	Blue	AISI 304	On request	6 m bars
<b>15701C</b>	Green	AISI 304	Stock item	3 m bars
<b>15701</b>	Green	AISI 304	On request	6 m bars
Article-Nr.	Material	Metal	Availability	Supply
<b>15706BC</b>	<b>BluLub</b>	AISI 430	On request	3 m bars
<b>15706B</b>	<b>BluLub</b>	AISI 430	On request	6 m bars
<b>15707C</b>	<b>Ti-White</b>	AISI 430	On request	3 m bars
<b>15707</b>	<b>Ti-White</b>	AISI 430	On request	6 m bars
<b>15708C</b>	Black	AISI 430	On request	3 m bars
<b>15708</b>	Black	AISI 430	On request	6 m bars
<b>15706C</b>	Blue	AISI 430	On request	3 m bars
<b>15706</b>	Blue	AISI 430	On request	6 m bars
<b>15702C</b>	Green	AISI 430	Stock item	3 m bars
<b>15702</b>	Green	AISI 430	On request	6 m bars

# 157 U-Profile assembled clip-on

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Metal	Availability	Supply
<b>15799BC</b>	<b>BluLub</b>	AISI 304	On request	3 m bars
<b>15799WC</b>	<b>Ti-White</b>	AISI 304	On request	3 m bars
<b>15799NC</b>	Black	AISI 304	On request	3 m bars
<b>15799BLC</b>	Blue	AISI 304	On request	3 m bars
<b>15799C</b>	Green	AISI 304	On request	3 m bars

# 118

## Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>11801C</b>	AISI 304	Stock item	3 m bars
<b>11801</b>	AISI 304	Stock item	6 m bars
<b>11802C</b>	AISI 430	Stock item	3 m bars
<b>11802</b>	AISI 430	On request	6 m bars

# 112

## Stainless steel profile for U-profile

Material: Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>11201C</b>	AISI 304	Stock item	3 m bars
<b>11201</b>	AISI 304	Stock item	6 m bars
<b>11202C</b>	AISI 430	Stock item	3 m bars
<b>11202</b>	AISI 430	Stock item	6 m bars

# 147

## Aluminum profile for U-profile

Material: Aluminum

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>14701C</b>	Aluminum	Stock item	3 m bars
<b>14701</b>	Aluminum	Stock item	6 m bars

# 1041

## C-Profile

Fit on 25 x 5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>104100BC</b>	<b>BluLub</b>	On request	3 m bars
<b>104100B</b>	<b>BluLub</b>	On request	6 m bars
<b>104103C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>104103</b>	<b>Ti-White</b>	On request	6 m bars
<b>104105C</b>	Blue	On request	3 m bars
<b>104105</b>	Blue	On request	6 m bars
<b>104102C</b>	Green	On request	3 m bars
<b>104102</b>	Green	On request	6 m bars

# 1082 C-Profile

Fit on 38.1 x 6.35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108200BC</b>	<b>BluLub</b>	On request	3 m bars
<b>108200B</b>	<b>BluLub</b>	On request	6 m bars
<b>108203C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108203</b>	<b>Ti-White</b>	On request	6 m bars
<b>108205C</b>	Blue	On request	3 m bars
<b>108205</b>	Blue	On request	6 m bars

# 1044 C-Profile

Fit on 38,1 x 12,7 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>104400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>104400B</b>	<b>BluLub</b>	On request	6 m bars
<b>104403C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>104403</b>	<b>Ti-White</b>	On request	6 m bars
<b>104405C</b>	Blue	On request	3 m bars
<b>104405</b>	Blue	On request	6 m bars

# 1053 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>105300BC</b>	<b>BluLub</b>	On request	3 m bars
<b>105300B</b>	<b>BluLub</b>	On request	6 m bars
<b>105303C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>105303</b>	<b>Ti-White</b>	On request	6 m bars
<b>105305C</b>	Blue	On request	3 m bars
<b>105305</b>	Blue	On request	6 m bars



# 1054 C-Profile

Fit on 38,1 x 6,35 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
105400BC	<b>BluLub</b>	On request	3 m bars
105400B	<b>BluLub</b>	On request	6 m bars
105403C	<b>Ti-White</b>	Stock item	3 m bars
105403	<b>Ti-White</b>	On request	6 m bars
105405C	Blue	On request	3 m bars
105405	Blue	On request	6 m bars



# 137 C-Profile

Fit on 40 x 8 mm / 40 x 10 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**



Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
13701BC	<b>BluLub</b>	Stock item	3 m bars
13701B	<b>BluLub</b>	On request	6 m bars
13703C	<b>Ti-White</b>	Stock item	3 m bars
13703	<b>Ti-White</b>	On request	6 m bars
13702C	Black	Stock item	3 m bars
13702	Black	On request	6 m bars
13705C	Blue	On request	3 m bars
13705	Blue	On request	6 m bars
13701C	Green	Stock item	3 m bars
13701	Green	Stock item	6 m bars



Article-Nr.	Material	Availability	Supply
13711BC	<b>BluLub</b>	Stock item	3 m bars
13711B	<b>BluLub</b>	On request	6 m bars
13713C	<b>Ti-White</b>	On request	3 m bars
13713	<b>Ti-White</b>	On request	6 m bars
13712C	Black	On request	3 m bars
13712	Black	On request	6 m bars
13715C	Blue	On request	3 m bars
13715	Blue	On request	6 m bars
13711C	Green	Stock item	3 m bars
13711	Green	Stock item	6 m bars





Article-Nr.	Material	Availability	Supply
13720BC	<b>BluLub</b>	On request	3 m bars
13720B	<b>BluLub</b>	On request	6 m bars
13720C	<b>Ti-White</b>	On request	3 m bars
13720	<b>Ti-White</b>	On request	6 m bars
13725C	Blue	On request	3 m bars
13725	Blue	On request	6 m bars

# 1042 C-Profile

Fit on 50 x 6 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
104200BC	<b>BluLub</b>	On request	3 m bars
104200B	<b>BluLub</b>	On request	6 m bars
104203C	<b>Ti-White</b>	Stock item	3 m bars
104203	<b>Ti-White</b>	On request	6 m bars
104205C	Blue	On request	3 m bars
104205	Blue	On request	6 m bars
104201C	Green	On request	3 m bars
104201	Green	On request	6 m bars

# 1045 C-Profile

Fit on 50,8 x 12,7 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
104500BC	<b>BluLub</b>	On request	3 m bars
104500B	<b>BluLub</b>	On request	6 m bars
104503C	<b>Ti-White</b>	On request	3 m bars
104503	<b>Ti-White</b>	On request	6 m bars
104505C	Blue	On request	3 m bars
104505	Blue	On request	6 m bars

# 158 C-Profile

Fit on 50 x 6 mm | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**









Article-Nr.	Material	Availability	Supply
15800BC	<b>BluLub</b>	Stock item	3 m bars
15894C	<b>Ti-White</b>	On request	3 m bars
15898C	Black	Stock item	3 m bars
15894BLC	Blue	On request	3 m bars
15897C	Green	Stock item	3 m bars
15800C	Grey	Stock item	3 m bars

# 163 C-Profile


Coils available | Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	A	Availability	Supply
<b>16303BC</b>	<i>BluLub</i>	25,4	Stock item	3 m bars
<b>16303B</b>	<i>BluLub</i>	25,4	On request	6 m bars
<b>16303B-30</b>	<i>BluLub</i>	25,4	Stock item	30 m coils
<b>16313BC</b>	<i>BluLub</i>	31,75	On request	3 m bars
<b>16313B</b>	<i>BluLub</i>	31,75	On request	6 m bars
<b>16313B-30</b>	<i>BluLub</i>	31,75	On request	30 m coils
<b>16323BC</b>	<i>BluLub</i>	35	On request	3 m bars
<b>16323B</b>	<i>BluLub</i>	35	On request	6 m bars
<b>16323B-30</b>	<i>BluLub</i>	35	On request	30 m coils
<b>16324BC</b>	<i>BluLub</i>	38,1	On request	3 m bars
<b>16324B</b>	<i>BluLub</i>	38,1	On request	6 m bars
<b>16324B-30</b>	<i>BluLub</i>	38,1	On request	30 m coils
<b>16325BC</b>	<i>BluLub</i>	54,1	On request	3 m bars
<b>16325B</b>	<i>BluLub</i>	54,1	On request	6 m bars
<b>16325B-30</b>	<i>BluLub</i>	54,1	On request	30 m coils
<b>16303C</b>	<i>Ti-White</i>	25,4	Stock item	3 m bars
<b>16303</b>	<i>Ti-White</i>	25,4	On request	6 m bars
<b>16303-30</b>	<i>Ti-White</i>	25,4	Stock item	30 m coils
<b>16313C</b>	<i>Ti-White</i>	31,75	Stock item	3 m bars
<b>16313</b>	<i>Ti-White</i>	31,75	On request	6 m bars
<b>16313-30</b>	<i>Ti-White</i>	31,75	On request	30 m coils
<b>16323C</b>	<i>Ti-White</i>	35	Stock item	3 m bars
<b>16323</b>	<i>Ti-White</i>	35	On request	6 m bars
<b>16323-30</b>	<i>Ti-White</i>	35	On request	30 m coils
<b>16324C</b>	<i>Ti-White</i>	38,1	Stock item	3 m bars
<b>16324</b>	<i>Ti-White</i>	38,1	Stock item	6 m bars
<b>16324-30</b>	<i>Ti-White</i>	38,1	On request	30 m coils
<b>16325C</b>	<i>Ti-White</i>	54,1	On request	3 m bars
<b>16325</b>	<i>Ti-White</i>	54,1	On request	6 m bars
<b>16325-30</b>	<i>Ti-White</i>	54,1	On request	30 m coils
<b>16303BLC</b>	Blue	25,4	On request	3 m bars
<b>16303BL</b>	Blue	25,4	On request	6 m bars
<b>16303BL-30</b>	Blue	25,4	On request	30 m coils
<b>16313BLC</b>	Blue	31,75	On request	3 m bars
<b>16313BL</b>	Blue	31,75	On request	6 m bars
<b>16313BL-30</b>	Blue	31,75	On request	30 m coils
<b>16323BLC</b>	Blue	35	On request	3 m bars
<b>16323BL</b>	Blue	35	On request	6 m bars
<b>16323BL-30</b>	Blue	35	On request	30 m coils
<b>16324BLC</b>	Blue	38,1	On request	3 m bars
<b>16324BL</b>	Blue	38,1	On request	6 m bars
<b>16324BL-30</b>	Blue	38,1	On request	30 m coils
<b>16325BLC</b>	Blue	54,1	On request	3 m bars
<b>16325BL</b>	Blue	54,1	On request	6 m bars
<b>16325BL-30</b>	Blue	54,1	On request	30 m coils



Used with  
**PART 164/165**  
Pag 45



# 160 C-Profile


Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
16003BC	<b>BluLub</b>	Stock item	3 m bars
16003B	<b>BluLub</b>	On request	6 m bars
16003B-30	<b>BluLub</b>	Stock item	30 m coils
16003C	<b>Ti-White</b>	Stock item	3 m bars
16003	<b>Ti-White</b>	Stock item	6 m bars
16003-30	<b>Ti-White</b>	Stock item	30 m coils
16005C	Blue	On request	3 m bars
16005	Blue	On request	6 m bars
16005-30	Blue	On request	30 m coils



Used with  
**PART 164/165**  
Pag 45



# 161 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
16103BC	<b>BluLub</b>	On request	3 m bars
16103B	<b>BluLub</b>	On request	6 m bars
16103B-30	<b>BluLub</b>	Stock item	30 m coils
16103C	<b>Ti-White</b>	Stock item	3 m bars
16103	<b>Ti-White</b>	Stock item	6 m bars
16103-30	<b>Ti-White</b>	Stock item	30 m coils
16105C	Blue	On request	3 m bars
16105	Blue	On request	6 m bars
16105-30	Blue	On request	30 m coils



Used with  
**PART 164/165**  
Pag 45



# 162 C-Profile


Coils available | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
16202BC	<b>BluLub</b>	Stock item	3 m bars
16202B	<b>BluLub</b>	On request	6 m bars
16202B-30	<b>BluLub</b>	Stock item	30 m coils
16203C	<b>Ti-White</b>	Stock item	3 m bars
16203	<b>Ti-White</b>	On request	6 m bars
16203-30	<b>Ti-White</b>	Stock item	30 m coils
16205C	Blue	On request	3 m bars
16205	Blue	On request	6 m bars
16205-30	Blue	On request	30 m coils
16202C	Green	Stock item	3 m bars
16202	Green	On request	6 m bars
16202-30	Green	Stock item	30 m coils



Used with  
**PART 164/165**  
Pag 45



# 164 Aluminum guide

Material: Aluminum

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>16401C</b>	Aluminum	Stock item	3 m bars
<b>16401</b>	Aluminum	Stock item	6 m bars

# 165 Aluminum guide

Material: Aluminum

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>16501C</b>	Aluminum	Stock item	3 m bars
<b>16501</b>	Aluminum	Stock item	6 m bars

# 1039 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>103923BC</b>	<b>BluLub</b>	On request	3 m bars
<b>103923B</b>	<b>BluLub</b>	On request	6 m bars
<b>103923B-30</b>	<b>BluLub</b>	Stock item	30 m coils
<b>103923B-60</b>	<b>BluLub</b>	On request	60 m coils
<b>103923C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>103923</b>	<b>Ti-White</b>	On request	6 m bars
<b>103923-30</b>	<b>Ti-White</b>	Stock item	30 m coils
<b>103923-60</b>	<b>Ti-White</b>	Stock item	60 m coils
<b>103925C</b>	Blue	On request	3 m bars
<b>103925</b>	Blue	On request	6 m bars
<b>103925-30</b>	Blue	On request	30 m coils
<b>103925-60</b>	Blue	On request	60 m coils

# 1083 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108300BC</b>	<b>BluLub</b>	On request	3 m bars
<b>108300B</b>	<b>BluLub</b>	On request	6 m bars
<b>108300B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>108300B-60</b>	<b>BluLub</b>	On request	60 m coils
<b>108303C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108303</b>	<b>Ti-White</b>	On request	6 m bars
<b>108303-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>108303-60</b>	<b>Ti-White</b>	On request	60 m coils
<b>108305C</b>	Blue	On request	3 m bars
<b>108305</b>	Blue	On request	6 m bars
<b>108305-30</b>	Blue	On request	30 m coils
<b>108305-60</b>	Blue	On request	60 m coils

# 166 C-Profile for steel rods

Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	A	B	C	Material	Availability	Supply
<b>16601B</b>	8	12	0.5	<b>BluLub</b>	Stock item	30 m coils
<b>16602B</b>	10	14	0.5	<b>BluLub</b>	On request	30 m coils
<b>16603B</b>	12	16	1	<b>BluLub</b>	On request	30 m coils
<b>16604B</b>	16	20	1.5	<b>BluLub</b>	On request	30 m coils
<b>16601</b>	8	12	0.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16602</b>	10	14	0.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16603</b>	12	16	1	<b>Ti-White</b>	Stock item	30 m coils
<b>16604</b>	16	20	1.5	<b>Ti-White</b>	Stock item	30 m coils
<b>16601BL</b>	8	12	0.5	Blue	On request	30 m coils
<b>16602BL</b>	10	14	0.5	Blue	On request	30 m coils
<b>16603BL</b>	12	16	1	Blue	On request	30 m coils
<b>16604BL</b>	16	20	1.5	Blue	On request	30 m coils

# 154 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>15401BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>15401B</b>	<b>BluLub</b>	On request	6 m bars
<b>15401C</b>	<b>Ti-White</b>	On request	3 m bars
<b>15401</b>	<b>Ti-White</b>	On request	6 m bars
<b>15405C</b>	Blue	On request	3 m bars
<b>15405</b>	Blue	On request	6 m bars
<b>15402C</b>	Green	On request	3 m bars
<b>15402</b>	Green	On request	6 m bars



### Only plastic profile

Article-Nr.	Material	Availability	Supply
<b>15451B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>15451-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>15455-30</b>	Blue	On request	30 m coils
<b>15452-30</b>	Green	On request	30 m coils

# 155 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Aluminum

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>15500BC</b>	<b>BluLub</b>	On request	3 m bars
<b>15503C</b>	<b>Ti-White</b>	On request	3 m bars
<b>15505C</b>	Blue	On request	3 m bars
<b>15501C</b>	Green	On request	3 m bars



### Only plastic profile

Article-Nr.	Material	Availability	Supply
<b>15550B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>15553-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>15555-30</b>	Blue	On request	30 m coils
<b>15551-30</b>	Green	On request	30 m coils

# 134 Side guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>13400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>13400B</b>	<b>BluLub</b>	On request	6 m bars
<b>13403C</b>	<b>Ti-White</b>	On request	3 m bars
<b>13403</b>	<b>Ti-White</b>	On request	6 m bars
<b>13405C</b>	Blue	On request	3 m bars
<b>13405</b>	Blue	On request	6 m bars
<b>13401C</b>	Green	Stock item	3 m bars
<b>13401</b>	Green	On request	6 m bars



### Only plastic profile

Article-Nr.	Material	Availability	Supply
<b>13450B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>13453-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>13455-30</b>	Blue	On request	30 m coils
<b>13451-30</b>	Green	On request	30 m coils

# 199 Transfer plate

Fit on 3 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>19960B</b>	<b>BluLub</b>	Stock item	1,5 m bars
<b>19960</b>	Black	Stock item	1,5 m bars


# 238-228-235 Nosebar

Material: **BluLub**


Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>2381500</b>	<b>BluLub</b>	On request	1,5 m bars



Article-Nr.	Material	Availability	Supply
<b>2281500</b>	<b>BluLub</b>	On request	1,5 m bars





Article-Nr.	Material	Availability	Supply
<b>2351500</b>	<b>BluLub</b>	On request	1,5 m bars

# 1000 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100000B-30	<b>BluLub</b>	On request	30 m coils
100003-30	<b>Ti-White</b>	Stock item	30 m coils
100005-30	Blue	On request	30 m coils

# 1001 Bar cap

Fit on 1,5 mm (1/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100103B-30	<b>BluLub</b>	Stock item	30 m coils
100103-30	<b>Ti-White</b>	Stock item	30 m coils
100105-30	Blue	On request	30 m coils

# 1002 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100200B-30	<b>BluLub</b>	On request	30 m coils
100203-30	<b>Ti-White</b>	Stock item	30 m coils
100205-30	Blue	On request	30 m coils

# 1003 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100300B-30	<b>BluLub</b>	On request	30 m coils
100303-30	<b>Ti-White</b>	Stock item	30 m coils
100305-30	Blue	On request	30 m coils

# 1004 Bar cap

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100400B-30	<b>BluLub</b>	On request	30 m coils
100403-30	<b>Ti-White</b>	Stock item	30 m coils
100405-30	Blue	On request	30 m coils



# 1084 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>108400B</b>	<b>BluLub</b>	On request	6 m bars
<b>108400B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>108403C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108403</b>	<b>Ti-White</b>	On request	6 m bars
<b>108403-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>108405C</b>	Blue	On request	3 m bars
<b>108405</b>	Blue	On request	6 m bars
<b>108405-30</b>	Blue	On request	30 m coils

# 1085 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>108500BC</b>	<b>BluLub</b>	On request	3 m bars
<b>108500B</b>	<b>BluLub</b>	On request	6 m bars
<b>108500B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>108503C</b>	<b>Ti-White</b>	On request	3 m bars
<b>108503</b>	<b>Ti-White</b>	On request	6 m bars
<b>108503-30</b>	<b>Ti-White</b>	On request	30 m coils
<b>108505C</b>	Blue	On request	3 m bars
<b>108505</b>	Blue	On request	6 m bars
<b>108505-30</b>	Blue	On request	30 m coils

# 153 Bar cap

Fit on 4/5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>15300C</b>	<b>BluLub</b>	Stock item	3 m bars
<b>15300</b>	<b>BluLub</b>	On request	6 m bars
<b>15300-30</b>	<b>BluLub</b>	Stock item	30 m coils
<b>15303C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>15303</b>	<b>Ti-White</b>	On request	6 m bars
<b>15303-30</b>	<b>Ti-White</b>	Stock item	30 m coils
<b>15305C</b>	Blue	On request	3 m bars
<b>15305</b>	Blue	On request	6 m bars
<b>15305-30</b>	Blue	On request	30 m coils
<b>15302C</b>	Green	Stock item	3 m bars
<b>15302</b>	Green	On request	6 m bars
<b>15302-30</b>	Green	On request	30 m coils

# 1006 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>100600B-30</b>	<b>BluLub</b>	On request	30 m coils
<b>100603-30</b>	<b>Ti-White</b>	Stock item	30 m coils
<b>100605-30</b>	Blue	On request	30 m coils

# 1007 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100703BC	<b>BluLub</b>	Stock item	3 m bars
100703B	<b>BluLub</b>	On request	6 m bars
100703C	<b>Ti-White</b>	Stock item	3 m bars
100703	<b>Ti-White</b>	On request	6 m bars
100705C	Blue	On request	3 m bars
100705	Blue	On request	6 m bars

# 1040 Bar cap

Fit on 3 mm (1/8") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
104000BC	<b>BluLub</b>	On request	3 m bars
104000B	<b>BluLub</b>	On request	6 m bars
104003C	<b>Ti-White</b>	Stock item	3 m bars
104003	<b>Ti-White</b>	On request	6 m bars
104005C	Blue	On request	3 m bars
104005	Blue	On request	6 m bars

# 1008 Bar cap

Fit on 5 mm (3/16") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100803BC	<b>BluLub</b>	Stock item	3 m bars
100803B	<b>BluLub</b>	On request	6 m bars
100803C	<b>Ti-White</b>	Stock item	3 m bars
100803	<b>Ti-White</b>	Stock item	6 m bars
100805C	Blue	On request	3 m bars
100805	Blue	On request	6 m bars

# 1009 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub, Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
100900B-30	<b>BluLub</b>	On request	30 m coils
100903-30	<b>Ti-White</b>	Stock item	30 m coils
100905-30	Blue	On request	30 m coils

# 1010 Bar cap

Fit on 6 mm (1/4") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101000B-30	<b>BluLub</b>	On request	30 m coils
101003-30	<b>Ti-White</b>	Stock item	30 m coils
101005-30	Blue	On request	30 m coils

# 1086 Bar cap

Fit on 8 mm (5/16") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
108600B-30	<b>BluLub</b>	On request	30 m coils
108603-30	<b>Ti-White</b>	On request	30 m coils
108605-30	Blue	On request	30 m coils

# 1011 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101100B-30	<b>BluLub</b>	On request	30 m coils
101103-30	<b>Ti-White</b>	On request	30 m coils
101105-30	Blue	On request	30 m coils

# 1013 Bar cap

Fit on 10 mm (3/8") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101300BC	<b>BluLub</b>	On request	3 m bars
101300B	<b>BluLub</b>	On request	6 m bars
101303C	<b>Ti-White</b>	On request	3 m bars
101303	<b>Ti-White</b>	On request	6 m bars
101305C	Blue	On request	3 m bars
101305	Blue	On request	6 m bars

# 1012 Bar cap

Fit on 12/13 mm (1/2") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
101200B-30	<b>BluLub</b>	On request	30 m coils
101203-30	<b>Ti-White</b>	Stock item	30 m coils
101205-30	Blue	On request	30 m coils

# 181 Bar cover

Fit on 25,4 x 25,4 mm (1" x 1") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
18100BC	<b>BluLub</b>	On request	3 m bars
18100B	<b>BluLub</b>	On request	6 m bars
18103C	<b>Ti-White</b>	Stock item	3 m bars
18103	<b>Ti-White</b>	On request	6 m bars
18105C	Blue	On request	3 m bars
18105	Blue	On request	6 m bars

# 1052 Bar cover

Fit on 38,1 x 50,8 mm (1-1/2" x 2") | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
105200BC	<b>BluLub</b>	On request	3 m bars
105200B	<b>BluLub</b>	On request	6 m bars
105203C	<b>Ti-White</b>	Stock item	3 m bars
105203	<b>Ti-White</b>	On request	6 m bars
105205C	Blue	On request	3 m bars
105205	Blue	On request	6 m bars

# 180 Bar cover

Fit on 30,5 x 46 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
18000BC	<b>BluLub</b>	On request	3 m bars
18000B	<b>BluLub</b>	On request	6 m bars
18003C	<b>Ti-White</b>	On request	3 m bars
18003	<b>Ti-White</b>	On request	6 m bars
18005C	Blue	On request	3 m bars
18005	Blue	On request	6 m bars

# 1063 Side guide rail - H. 50 mm


Fit on 30 x 4 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>106300BC</b>	<b>BluLub</b>	On request	3 m bars
<b>106301C</b>	Black	Stock item	3 m bars
<b>106302C</b>	Green	Stock item	3 m bars

Plate  
30 x 4 mm





Option of application - Plate

# 137 Side guide rail - H. 50 mm


Fit on 40 x 8 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**




Article-Nr.	Material	Availability	Supply
<b>13701BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>13701B</b>	<b>BluLub</b>	On request	6 m bars
<b>13703C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>13703</b>	<b>Ti-White</b>	On request	6 m bars
<b>13702C</b>	Black	Stock item	3 m bars
<b>13702</b>	Black	On request	6 m bars
<b>13705C</b>	Blue	On request	3 m bars
<b>13705</b>	Blue	On request	6 m bars
<b>13701C</b>	Green	Stock item	3 m bars
<b>13701</b>	Green	Stock item	6 m bars

Plate  
40 x 8 mm




Option of application - Plate

**PART 117**  
Pag 71



Option of application - M-Profile

**PART 1055**  
Pag 71





Option of application - Guide



# 137 Side guide rail - H. 50 mm

Fit on 40 x 10 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>13711BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>13711B</b>	<b>BluLub</b>	On request	6 m bars
<b>13713C</b>	<b>Ti-White</b>	On request	3 m bars
<b>13713</b>	<b>Ti-White</b>	On request	6 m bars
<b>13712C</b>	Black	On request	3 m bars
<b>13712</b>	Black	On request	6 m bars
<b>13715C</b>	Blue	On request	3 m bars
<b>13715</b>	Blue	On request	6 m bars
<b>13711C</b>	Green	Stock item	3 m bars
<b>13711</b>	Green	Stock item	6 m bars





# 158 Side guide rail - H. 60 mm

Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>15800BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>15894C</b>	<b>Ti-White</b>	On request	3 m bars
<b>15898C</b>	Black	Stock item	3 m bars
<b>15894BLC</b>	Blue	On request	3 m bars
<b>15897C</b>	Green	Stock item	3 m bars
<b>15800C</b>	Grey	Stock item	3 m bars




# 1064 Side guide rail - H. 70 mm

Fit on 55 x 4 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>106400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>106403C</b>	<b>Ti-White</b>	On request	3 m bars
<b>106401C</b>	Black	Stock item	3 m bars
<b>106405C</b>	Blue	On request	3 m bars






# 183 Side guide rail - H. 80 mm

Fit one 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>18301BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18301C</b>	Black	Stock item	3 m bars
<b>18305C</b>	Blue	On request	3 m bars
<b>18397C</b>	Green	Stock item	3 m bars



# 158 Side guide rail - H. 90 - 100 - 120 - 140 mm


Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B	Material	Availability	Supply
<b>15801BC</b>	90	45	<b>BluLub</b>	Stock item	3 m bars
<b>15802BC</b>	100	50	<b>BluLub</b>	Stock item	3 m bars
<b>15803BC</b>	120	60	<b>BluLub</b>	Stock item	3 m bars
<b>15804BC</b>	140	70	<b>BluLub</b>	On request	3 m bars
<b>15831C</b>	90	45	<b>Ti-White</b>	On request	3 m bars
<b>18532C</b>	100	50	<b>Ti-White</b>	On request	3 m bars
<b>15833C</b>	120	60	<b>Ti-White</b>	On request	3 m bars
<b>15834C</b>	140	70	<b>Ti-White</b>	On request	3 m bars
<b>15801BLC</b>	90	45	Blue	On request	3 m bars
<b>15802BLC</b>	100	50	Blue	On request	3 m bars
<b>15803BLC</b>	120	60	Blue	On request	3 m bars
<b>15804BLC</b>	140	70	Blue	On request	3 m bars
<b>15801C</b>	90	45	Grey	Stock item	3 m bars
<b>15802C</b>	100	50	Grey	Stock item	3 m bars
<b>15803C</b>	120	60	Grey	Stock item	3 m bars
<b>15804C</b>	140	70	Grey	On request	3 m bars

Plate  
50 x 6 mm



Option of application - Plate

PART 159  
Pag 72





Option of application - M-Profile

# 194 Side guide rail with Label saver - H. 90 - 120 mm


Fit on 50 x 6 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B	Material	Availability	Supply
<b>19400BC</b>	90	45	<b>BluLub</b>	Stock item	3 m bars
<b>19403BC</b>	120	60	<b>BluLub</b>	Stock item	3 m bars
<b>19430C</b>	90	45	<b>Ti-White</b>	On request	3 m bars
<b>19433C</b>	120	60	<b>Ti-White</b>	On request	3 m bars
<b>19400BLC</b>	90	45	Blue	On request	3 m bars
<b>19403BLC</b>	120	60	Blue	On request	3 m bars
<b>19400C</b>	90	45	Grey	On request	3 m bars
<b>19403C</b>	120	60	Grey	On request	3 m bars

Plate  
50 x 6 mm



Option of application - Plate

PART 159  
Pag 72





Option of application - M-Profile






# 189 Side guide rail - H. 136 mm

Fit on 40 x 8 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**  
**Standard**






Article-Nr.	Material	Availability	Supply
<b>18912BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18912BLC</b>	Blue	On request	3 m bars
<b>18916C</b>	Grey	On request	3 m bars



## Side guide rail with Label saver - H. 136 mm




Article-Nr.	Material	Availability	Supply
<b>18910BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18910BLC</b>	Blue	On request	3 m bars
<b>18914C</b>	Grey	Stock item	3 m bars





### Easy Bendable

For the grooved version, just add "S" to the related Article Nr.



## Side guide rail with Label saver - H. 136 mm



Article-Nr.	Material	Availability	Supply
<b>18911BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18911BLC</b>	Blue	On request	3 m bars
<b>18915C</b>	Grey	On request	3 m bars

**Plate**  
40 x 8 mm

Valid also for **RS** version

Option of application - Plate

**PART 117**  
Pag 71

Valid also for **RS** version

Option of application - M-Profile

**PART 1055**  
Pag 71

Valid also for **RS** version



Option of application - Guide

## 1079 **RS** Side guide rail with Label saver - H. 136 mm


Fit on 40 x 8 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**  
**Standard**

Article-Nr.	Version	Material	Availability	Supply
<b>107900</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107901</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>18980</b>	3 m bars

**Label saver 2 cm**

Art-Nr.	Supply
<b>18987</b>	30 m coils

**Label saver 4 cm**

Art-Nr.	Supply
<b>18988</b>	30 m coils

Single components



**Easy Bendable**

For the grooved version, just add "-S" to the related Article Nr.



# 189 Side guide rail - H. 140 mm

Fit on 50 x 6 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**  
**Standard**






Article-Nr.	Material	Availability	Supply
<b>18902BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18902BLC</b>	Blue	On request	3 m bars
<b>18906C</b>	Grey	On request	3 m bars





## Side guide rail with Label saver - H. 140 mm





Article-Nr.	Material	Availability	Supply
<b>18900BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18900BLC</b>	Blue	On request	3 m bars
<b>18904C</b>	Grey	Stock item	3 m bars




## Side guide rail with Label saver - H. 140 mm



Article-Nr.	Material	Availability	Supply
<b>18901BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18901BLC</b>	Blue	On request	3 m bars
<b>18905C</b>	Grey	On request	3 m bars





**Easy Bendable**  
For the grooved version, just add "-S" to the related Article Nr.




# 135 Side guide rail - H. 78 mm

Fit on 60 x 6 mm | Material: Standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>13501C</b>	Black	Stock item	3 m bars
<b>13501</b>	Black	Stock item	6 m bars
<b>13502C</b>	Blue RAL 5012	Stock item	3 m bars
<b>13502</b>	Blue RAL 5012	Stock item	6 m bars




# 136 Side guide rail - H. 87 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>13601C</b>	Black	Stock item	3 m bars
<b>13601</b>	Black	On request	6 m bars
<b>13602C</b>	Blue RAL 5012	Stock item	3 m bars
<b>13602</b>	Blue RAL 5012	Stock item	6 m bars



# 1057|1077 Side guide rail - H. 90 mm

Fit on 50 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
<b>105720BLC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>105721C</b>	Black	On request	3 m bars
<b>105705C</b>	Blue	On request	3 m bars
<b>105724C</b>	Grey	On request	3 m bars

**Plate**  
50 x 6 mm

Valid also for **RS** version

Option of application - Plate



**PART 159**  
Pag 72

Valid also for **RS** version

**PART 331**  
Pag 91

Option of application - M-Profile

## Side guide rail with Label saver - H. 90 mm



Article-Nr.	Material	Availability	Supply
<b>107720BLC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>107721C</b>	Black	On request	3 m bars
<b>107725C</b>	Blue	On request	3 m bars
<b>107724C</b>	Grey	On request	3 m bars

**Plate**  
50 x 6 mm

Valid also for **RS** version

Option of application - Plate

**PART 159**  
Pag 72

Valid also for **RS** version

**PART 331**  
Pag 91

Option of application - M-Profile

**Easy Bendable**


For the grooved version, just add "S" to the related Article Nr.

# 1077|1078


## RS Side guide rail with Label saver - H. 90 mm

Fit on 50 x 6 mm | Material: **BluLub** + standard **UHMW-PE**


Delivery: **Easy Standard**



Article-Nr.	Version	Material	Availability	Supply
<b>107722</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107723</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>107790</b>	3 m bars

**Label saver 2 cm**


Art-Nr.	Supply
<b>18987</b>	30 m coils

**Label saver 4 cm**


Art-Nr.	Supply
<b>18988</b>	30 m coils

Single components


## Side guide rail with two Label saver - H. 90 mm



Article-Nr.	Version	Material	Availability	Supply
<b>107822</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107823</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>107890</b>	3 m bars

**Label saver 2 cm**

Art-Nr.	Supply
<b>18987</b>	30 m coils


**Label saver 4 cm**

Art-Nr.	Supply
<b>18988</b>	30 m coils

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components



**Easy Bendable**  
For the grooved version, just add "S" to the related Article Nr.



# 1057|1077 Side guide rail - H. 90 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**



Article-Nr.	Material	Availability	Supply
105700BC	<b>BluLub</b>	Stock item	3 m bars
105711C	Black	Stock item	3 m bars
105705C	Blue	On request	3 m bars
105704C	Grey	Stock item	3 m bars

**Plate**  
60 x 6 mm

Valid also for **RS** version

**Option of application - Plate**



**PART 1089**  
Pag 72

Valid also for **RS** version

**PART 331**  
Pag 91

**Option of application - M-Profile**

## Side guide rail with Label saver - H. 90 mm



Article-Nr.	Material	Availability	Supply
107700BC	<b>BluLub</b>	On request	3 m bars
107711C	Black	On request	3 m bars
107705C	Blue	On request	3 m bars
107704C	Grey	On request	3 m bars

**Plate**  
60 x 6 mm

Valid also for **RS** version

**Option of application - Plate**

**PART 1089**  
Pag 72

Valid also for **RS** version

**PART 331**  
Pag 91

**Option of application - M-Profile**

**Easy Bendable**

For the grooved version, just add "S" to the related Article Nr.





# 1077|1078

## RS Side guide rail with Label saver - H. 90 mm


Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy Standard**

Article-Nr.	Version	Material	Availability	Supply
<b>107700</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107701</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>107791</b>	3 m bars

**Label saver 2 cm**

Art-Nr.	Supply
<b>18987</b>	30 m coils



**Label saver 4 cm**

Art-Nr.	Supply
<b>18988</b>	30 m coils


Single components

## Side guide rail with two Label saver - H. 90 mm

Article-Nr.	Version	Material	Availability	Supply
<b>107800</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107801</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm



VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>107891</b>	3 m bars

**Label saver 2 cm**

Art-Nr.	Supply
<b>18987</b>	30 m coils


**Label saver 4 cm**

Art-Nr.	Supply
<b>18988</b>	30 m coils

Label saver 2 cm and 4 cm can also be combined together to obtain different version.

Single components

**Easy Bendable**  
For the grooved version, just add "S" to the related Article Nr.





# 193|189



## Side guide rail - H. 140 mm

Fit on 60 x 5 mm | Material: **BluLub** and standard **UHMW-PE**



Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>19330BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>19335C</b>	Blue	On request	3 m bars
<b>19334C</b>	Grey	On request	3 m bars



## Side guide rail with Label saver - H. 140 mm






Article-Nr.	Material	Availability	Supply
<b>18980BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18985C</b>	Blue	On request	3 m bars
<b>18984C</b>	Grey	On request	3 m bars




**Easy Bendable**  
For the grooved version, just add "S" to the related Article Nr.

# Side guide rail with Label saver - H. 140 mm

Article-Nr.	Material	Availability	Supply
18940BC	BluLub	Stock item	3 m bars
18945C	Blue	On request	3 m bars
18944C	Grey	Stock item	3 m bars





**Easy Bendable**  
For the grooved version, just add "-S" to the related Article Nr.





# 193 Side guide rail - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
19320BC	BluLub	Stock item	3 m bars
19325C	Blue	On request	3 m bars
19324C	Grey	Stock item	3 m bars





# 189 Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**




Article-Nr.	Material	Availability	Supply
18920BC	BluLub	Stock item	3 m bars
18925C	Blue	On request	3 m bars
18924C	Grey	Stock item	3 m bars





### Easy Bendable

For the grooved version, just add "S" to the related Article Nr.



## Side guide rail with Label saver - H. 140 mm

Article-Nr.	Material	Availability	Supply
<b>18930BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18935C</b>	Blue	On request	3 m bars
<b>18934C</b>	Grey	Stock item	3 m bars



**Plate**  
60 x 6 mm

Valid also for **RS** version

**PART 331**  
Pag 91

Option of application - Plate

**PART 1089**  
Pag 72

Valid also for **RS** version

**PART 331**  
Pag 91



Option of application - M-Profile

## 1075 **RS** Side guide rail with Label saver - H. 140 mm

Fit on 60 x 6 mm | Material: **BluLub** + standard **UHMW-PE**

Delivery: **Easy**  
**Standard**

Article-Nr.	Version	Material	Availability	Supply
<b>107500</b>	A	Black+ <b>BluLub</b>	On request	3 m bars
<b>107501</b>	B	Black+ <b>BluLub</b>	On request	3 m bars



VERSION A - Label saver 2 cm

VERSION B - Label saver 4 cm

**Base profile**

Art-Nr.	Supply
<b>18990</b>	3 m bars

**Label saver 2 cm**


Art-Nr.	Supply
<b>18987</b>	30 m coils

**Label saver 4 cm**

Art-Nr.	Supply
<b>18988</b>	30 m coils

Single components



**Easy Bendable**  
For the grooved version, just add "-S" to the related Article Nr.





# 187 Side guide rail - H. 170 mm

Fixing system: Clamp or Steel plate 60 x 6 mm | Material: **UHMW-PE & BluLub**



Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
<b>18710BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>18705C</b>	Blue	On request	3 m bars
<b>18714C</b>	Grey	On request	3 m bars



## Side guide rail with Label saver - H. 170 mm




Article-Nr.	A	Material	Availability	Supply
<b>18720BC</b>	12	<b>BluLub</b>	Stock item	3 m bars
<b>18730BC</b>	20	<b>BluLub</b>	Stock item	3 m bars
<b>18740BC</b>	40	<b>BluLub</b>	Stock item	3 m bars
<b>18725C</b>	12	Blue	On request	3 m bars
<b>18735C</b>	20	Blue	On request	3 m bars
<b>18745C</b>	40	Blue	On request	3 m bars
<b>18724C</b>	12	Grey	On request	3 m bars
<b>18734C</b>	20	Grey	On request	3 m bars
<b>18744C</b>	40	Grey	On request	3 m bars



### Easy Bendable



For the grooved version, just add "S" to the related Article Nr.




# 117 M-Profile

Used with part: 137 - 183 - 189 - 1079 | Material: Stainless steel AISI 304

Delivery: **Easy**  
**Standard**





Article-Nr.	A	B	Availability	Supply
<b>11703C</b>	6	10	Stock item	3 m bars
<b>11703</b>	6	10	On request	6 m bars
<b>11701C</b>	8	8	Stock item	3 m bars
<b>11701</b>	8	8	Stock item	6 m bars
<b>11702C</b>	10	10	Stock item	3 m bars
<b>11702</b>	10	10	On request	6 m bars




# 1055 M-Profile

Used with part: 137 - 183 - 189 - 1079 | Material: Stainless steel AISI 304

Delivery: **Easy**  
**Standard**





Article-Nr.	A	B	Availability	Supply
<b>105501C</b>	40	8	Stock item	3 m bars
<b>105501</b>	40	8	On request	6 m bars
<b>105503C</b>	50	6	Stock item	3 m bars
<b>105503</b>	50	6	On request	6 m bars




# 159-1088-1089 Aluminum Guide

Delivery: **Easy**  
**Standard**

Used with part: 158 - 187 - 189- 193 - 1057 - 1075 - 1077 - 1078




Article-Nr.	A	B	Availability	Supply
<b>15901C</b>	50	6	Stock item	3 m bars
<b>15901</b>	50	6	On request	6 m bars
<b>108801C</b>	60	5	Stock item	3 m bars
<b>108801</b>	60	5	On request	6 m bars
<b>108901C</b>	60	6	Stock item	3 m bars
<b>108901</b>	60	6	On request	6 m bars




## 362 T-Bolt

Material: Stainless steel AISI 304

Delivery: **Easy**  
**Standard**





Article-Nr.	A	Availability
<b>36201</b>	16	Stock item
<b>36202</b>	22	Stock item
<b>36203</b>	26	Stock item







### Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>11901BC</b>	<b>BluLub</b>	Stock item	3 m bars
<b>11901B</b>	<b>BluLub</b>	On request	6 m bars
<b>11901C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>11901</b>	<b>Ti-White</b>	On request	6 m bars
<b>11905C</b>	Blue	On request	3 m bars
<b>11905</b>	Blue	On request	6 m bars

### Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>11921BC</b>	<b>BluLub</b>	On request	3 m bars
<b>11921B</b>	<b>BluLub</b>	On request	6 m bars
<b>11921C</b>	<b>Ti-White</b>	On request	3 m bars
<b>11921</b>	<b>Ti-White</b>	On request	6 m bars
<b>11925C</b>	Blue	On request	3 m bars
<b>11925</b>	Blue	On request	6 m bars

### Stainless steel profile thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
<b>11963B</b>	<b>BluLub</b>	On request	3 m bars
<b>11967B</b>	<b>BluLub</b>	On request	6 m bars
<b>11963</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>11967</b>	<b>Ti-White</b>	On request	6 m bars
<b>11964C</b>	Blue	On request	3 m bars
<b>11964</b>	Blue	On request	6 m bars

### Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>11953B</b>	<b>BluLub</b>	On request	3 m bars
<b>11957B</b>	<b>BluLub</b>	On request	6 m bars
<b>11953</b>	<b>Ti-White</b>	On request	3 m bars
<b>11957</b>	<b>Ti-White</b>	Stock item	6 m bars
<b>11983C</b>	Blue	On request	3 m bars
<b>11987</b>	Blue	On request	6 m bars

# 121 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>12101BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12101B</b>	<b>BluLub</b>	On request	6 m bars
<b>12101C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12101</b>	<b>Ti-White</b>	On request	6 m bars
<b>12105C</b>	Blue	On request	3 m bars
<b>12105</b>	Blue	On request	6 m bars

Stainless steel profile  
thickness: 1,5 mm





Hygienic  
Version



Article-Nr.	Material	Availability	Supply
<b>12121BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12121B</b>	<b>BluLub</b>	On request	6 m bars
<b>12121C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12121</b>	<b>Ti-White</b>	On request	6 m bars
<b>12125C</b>	Blue	On request	3 m bars
<b>12125</b>	Blue	On request	6 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>12163B</b>	<b>BluLub</b>	On request	3 m bars
<b>12167B</b>	<b>BluLub</b>	On request	6 m bars
<b>12163</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12167</b>	<b>Ti-White</b>	On request	6 m bars
<b>12173</b>	Blue	On request	3 m bars
<b>12177</b>	Blue	On request	6 m bars

Stainless steel profile  
thickness: 1,9 mm



Hygienic  
Version





Article-Nr.	Material	Availability	Supply
<b>12153B</b>	<b>BluLub</b>	On request	3 m bars
<b>12157B</b>	<b>BluLub</b>	On request	6 m bars
<b>12153</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12157</b>	<b>Ti-White</b>	On request	6 m bars
<b>12183</b>	Blue	On request	3 m bars
<b>12187</b>	Blue	On request	6 m bars

# 120 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12001BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12001B</b>	<b>BluLub</b>	On request	6 m bars
<b>12001C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12001</b>	<b>Ti-White</b>	On request	6 m bars
<b>12005C</b>	Blue	On request	3 m bars
<b>12005</b>	Blue	On request	6 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>12063B</b>	<b>BluLub</b>	On request	3 m bars
<b>12067B</b>	<b>BluLub</b>	On request	6 m bars
<b>12063</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12067</b>	<b>Ti-White</b>	On request	6 m bars
<b>12063BL</b>	Blue	On request	3 m bars
<b>12067BL</b>	Blue	On request	6 m bars

# 152 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>15200BC</b>	<b>BluLub</b>	On request	3 m bars
<b>15201C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>15205C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>15260BC</b>	<b>BluLub</b>	On request	3 m bars
<b>15263</b>	<b>Ti-White</b>	On request	3 m bars
<b>15265C</b>	Blue	On request	3 m bars

# 1067 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>106700BC</b>	<b>BluLub</b>	On request	3 m bars
<b>106701C</b>	<b>Ti-White</b>	On request	3 m bars
<b>106705C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>106760BC</b>	<b>BluLub</b>	On request	3 m bars
<b>106763</b>	<b>Ti-White</b>	On request	3 m bars
<b>106765C</b>	Blue	On request	3 m bars

# 143 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14300BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14301C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14305C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14360BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14363</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14365C</b>	Blue	On request	3 m bars

# 122 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12200BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12201C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12205C</b>	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>12260BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12263</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12263BLC</b>	Blue	On request	3 m bars

# 123 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12300BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12301C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12305C</b>	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>12360BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12363</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12363BLC</b>	Blue	On request	3 m bars

# 140 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14000BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14001C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14005C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14060BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14063</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14063BLC</b>	Blue	On request	3 m bars

# 146 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14600BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14601C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14605C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14660BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14663</b>	<b>Ti-White</b>	On request	3 m bars
<b>14663BLC</b>	Blue	On request	3 m bars

# 124 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12401C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12405C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>12460BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12463</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12463BLC</b>	Blue	On request	3 m bars

# 141 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14100BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14101C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14105C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14160BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14163</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14163BLC</b>	Blue	On request	3 m bars

# 142 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14200BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14201C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14205C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14260BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14263</b>	<b>Ti-White</b>	On request	3 m bars
<b>14263BLC</b>	Blue	On request	3 m bars

# 125 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12500BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12501C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12505C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm



Article-Nr.	Material	Availability	Supply
<b>12560BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12563</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>12563BLC</b>	Blue	On request	3 m bars





# 144 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14401C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14405C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14460BC</b>	<b>BluLub</b>	On request	3 m bars
<b>14463</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>14463BLC</b>	Blue	On request	3 m bars

# 184 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile  
thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>18400BC</b>	<b>BluLub</b>	On request	3 m bars
<b>18401C</b>	<b>Ti-White</b>	On request	3 m bars
<b>18405C</b>	Blue	On request	3 m bars

Stainless steel profile  
thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>18460BC</b>	<b>BluLub</b>	On request	3 m bars
<b>18463</b>	<b>Ti-White</b>	On request	3 m bars
<b>18463BLC</b>	Blue	On request	3 m bars

# 145 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304



Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>14503C</b>	<b>BluLub</b>	On request	3 m bars
<b>14504C</b>	<b>Ti-White</b>	On request	3 m bars
<b>14505C</b>	Blue	On request	3 m bars

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>14563</b>	<b>BluLub</b>	On request	3 m bars
<b>14564</b>	<b>Ti-White</b>	On request	3 m bars
<b>14565</b>	Blue	On request	3 m bars

# 1087 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>108763</b>	<b>BluLub</b>	On request	3 m bars
<b>108764</b>	<b>Ti-White</b>	On request	3 m bars
<b>108765</b>	Blue	On request	3 m bars

# 191 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,9 mm





Article-Nr.	Material	Availability	Supply
<b>19100BC</b>	<b>BluLub</b>	On request	3 m bars
<b>19101C</b>	<b>Ti-White</b>	Stock item	3 m bars
<b>19105C</b>	Blue	On request	3 m bars

# 126 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>12600BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12601C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12605C</b>	Blue	On request	3 m bars

# 127 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>12700BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12701C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12705C</b>	Blue	On request	3 m bars

# 128 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm





Article-Nr.	Material	Availability	Supply
<b>12800BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12801C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12805C</b>	Blue	On request	3 m bars

# 129 Guide rail

Material: **BluLub**, **Ti-White** and standard **UHMW-PE** + Stainless steel AISI 304

Delivery: **Easy**  
**Standard**

Stainless steel profile thickness: 1,5 mm



Article-Nr.	Material	Availability	Supply
<b>12900BC</b>	<b>BluLub</b>	On request	3 m bars
<b>12901C</b>	<b>Ti-White</b>	On request	3 m bars
<b>12905C</b>	Blue	On request	3 m bars

For wide profiles, **Movex®** always suggests to bend them to the right curve radius using the appropriate tool, **Movex®** bending machine is a versatile bending device developed for professional user.

Remarkable features are: quick readiness for use, good bending performance and little space requirements.



## Electric Bending machine

Art-Nr. **19848**

Dimension base: 665 x 740 mm  
 Height: 1400 mm  
 Approximate weight: 170 Kg  
 Shafts diameter: 30 mm  
 Rolls diameter: 137 mm  
 Geared motor: HP 1  
 Shafts speed: 9 RPM  
 Steel frame  
 Two forming rolls  
 Steel shafts in special steel

## Manual Bending machine


Art-Nr. **19999**




Dimension: 570 x 260 mm      Height: 180 mm  
 Approximate weight: 19 Kg      Steel frame  
 Shafts diameter: 25 mm

To achieve the correct curvature please follow below steps:


### 1 | Identify correct curve radius angle




### 2 | Insert the plate into the profile



### 3 | Bend assembled profile



### 4 | Assemble the curved profile on the line



\*For narrower profiles, bending operation can be done directly on the line, by hand.





Internal curve






External curve



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15101	25	119 - 120 - 121 - 152
151	15101E	30	119 - 120 - 121 - 152






Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15102	25	122 - 123 - 124 - 140 - 142 - 146
151	15102E	30	122 - 123 - 124 - 140 - 142 - 146






Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15103	25	141
151	15103E	30	141



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15104	25	144
151	15104E	30	144



Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15105	25	Ø8 - Ø10 - Ø12
151	15105E	30	Ø8 - Ø10 - Ø12





Internal curve





External curve

Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15109	25	358
151	15109E	30	358





See general catalogue for product details.




Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15110	25	360
151	15110E	30	360





See general catalogue for product details.




Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15106	25	359
151	15106E	30	359





See general catalogue for product details.





Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15107	25	361
151	15107E	30	361



See general catalogue for product details.





Part	Article-Nr.	Ø (mm)	Suitable for Part:
151	15108	25	117
151	15108E	30	117



# 170 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17001B	<b>BluLub</b>	Stock item	3 m bars
17002B	<b>BluLub</b>	Stock item	6 m bars
17000B	<b>BluLub</b>	Stock item	30 m coils
17001	<b>Ti-White</b>	On request	3 m bars
17002	<b>Ti-White</b>	On request	6 m bars
17000	<b>Ti-White</b>	On request	30 m coils
17005C	Blue	On request	3 m bars
17005	Blue	On request	6 m bars
17005-30	Blue	On request	30 m coils

# 168 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
16801B	<b>BluLub</b>	Stock item	3 m bars
16802B	<b>BluLub</b>	On request	6 m bars
16800B	<b>BluLub</b>	Stock item	30 m coils
16801	<b>Ti-White</b>	On request	3 m bars
16802	<b>Ti-White</b>	On request	6 m bars
16800	<b>Ti-White</b>	On request	30 m coils
16805C	Blue	On request	3 m bars
16805	Blue	On request	6 m bars
16805-30	Blue	On request	30 m coils

# 169 Neck guide

Fit on 2,5 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
16901B	<b>BluLub</b>	Stock item	3 m bars
16902B	<b>BluLub</b>	On request	6 m bars
16900B	<b>BluLub</b>	Stock item	30 m coils
16901	<b>Ti-White</b>	On request	3 m bars
16902	<b>Ti-White</b>	On request	6 m bars
16900	<b>Ti-White</b>	On request	30 m coils
16905C	Blue	On request	3 m bars
16905	Blue	On request	6 m bars
16905-30	Blue	On request	30 m coils

# 167 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
16700BC	<b>BluLub</b>	Stock item	3 m bars
16700B	<b>BluLub</b>	On request	6 m bars
16700B-30	<b>BluLub</b>	Stock item	30 m coils
16700C	<b>Ti-White</b>	On request	3 m bars
16700	<b>Ti-White</b>	On request	6 m bars
16700-30	<b>Ti-White</b>	On request	30 m coils
16705C	Blue	On request	3 m bars
16705	Blue	On request	6 m bars
16705-30	Blue	On request	30 m coils

# 192 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
19200B	<b>BluLub</b>	Stock item	30 m coils
19200	<b>Ti-White</b>	On request	30 m coils
19205	Blue	On request	30 m coils

# 1062 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
106200B	<b>BluLub</b>	Stock item	30 m coils
106200	<b>Ti-White</b>	On request	30 m coils
106205	Blue	On request	30 m coils

# 1072 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
107200B	<b>BluLub</b>	Stock item	30 m coils
107200	<b>Ti-White</b>	On request	30 m coils
107205	Blue	On request	30 m coils

# 1073 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
107300B	<b>BluLub</b>	Stock item	30 m coils
107300	<b>Ti-White</b>	On request	30 m coils
107305	Blue	On request	30 m coils



# 1076 Neck guide

Fit on 1,8 - 2 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
107600B	BluLub	Stock item	30 m coils
107600	Ti-White	On request	30 m coils
107605	Blue	On request	30 m coils

# 1037 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
103700B	BluLub	Stock item	30 m coils
103700	Ti-White	On request	30 m coils
103705	Blue	On request	30 m coils

# 171 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17100B	BluLub	Stock item	30 m coils
17100	Ti-White	On request	30 m coils
17105	Blue	On request	30 m coils

# 172 Neck guide

Fit on 3 mm | Material: **BluLub**, **Ti-White** and standard **UHMW-PE**

Delivery: **Easy**  
**Standard**





Article-Nr.	Material	Availability	Supply
17200B	BluLub	Stock item	30 m coils
17200	Ti-White	On request	30 m coils
17205	Blue	On request	30 m coils


# 131 Plastic rail

Material: *BluLub, Ti-White* and standard *UHMW-PE*

Delivery: **Easy**  
**Standard**



TYPE A





TYPE B

Article-Nr.	Type	Material	Availability	Supply
<b>13101B</b>	A	<i>BluLub</i>	Stock item	30 m coils
<b>13102B</b>	B	<i>BluLub</i>	Stock item	30 m coils
<b>13106</b>	A	<i>Ti-White</i>	On request	30 m coils
<b>13107</b>	B	<i>Ti-White</i>	On request	30 m coils
<b>13108</b>	A	Blue	On request	30 m coils
<b>13109</b>	B	Blue	On request	30 m coils
<b>13101</b>	A	Grey	Stock item	30 m coils
<b>13102</b>	B	Grey	Stock item	30 m coils


# 130 Aluminum rail

Material: Aluminum

Delivery: **Easy**  
**Standard**



TYPE A





TYPE B

Article-Nr.	Type	Availability	Supply
<b>13001C</b>	A	Stock item	3 m bars
<b>13001</b>	A	On request	6 m bars
<b>13002C</b>	B	Stock item	3 m bars

# 188 Aluminum rail

Material: Aluminum

Delivery: **Easy**  
**Standard**




Article-Nr.	Availability	Supply
<b>18801C</b>	Stock item	3 m bars
<b>18801</b>	Stock item	6 m bars


# 331 Stainless steel clamp

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078

Delivery: **Easy**  
**Standard**




Article-Nr.	Pin Ø
33101	No Pin
33102	12
33103	16



# Stainless steel clamp

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078


Article-Nr.	Pin Ø
33105	No Pin
33106	12
33107	16




# 345 Stainless steel clamp

USED WITH PART: 136

Delivery: **Easy**  
**Standard**




Article-Nr.	Pin Ø
34501	No Pin
34502	12
34503	16



# 341 Polyamide clamp - TYPE B

USED WITH PART: 135 - 187 - 189 - 193 - 1057 - 1075 - 1077 - 1078

Delivery: **Easy**  
**Standard**




Article-Nr.	Pin Ø
<b>34111</b>	No Pin
<b>34112</b>	12
<b>34113</b>	16

Suitable pins  
**PART 3004/3005** Pag 93/94  
*For straight application*

# Polyamide clamp - TYPE A

USED WITH PART: 136





Article-Nr.	Pin Ø
<b>34101</b>	No Pin
<b>34102</b>	12
<b>34103</b>	16

Suitable pins  
**PART 351/352** Pag 93  
*For straight application*

# 394 Stainless steel joint clamp

USED WITH PART: 135 - 136

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B	C
<b>39401</b>	81.5	9	18
<b>39402</b>	90	8	17

*Example of application*


# 351

Stainless steel rod  
USED WITH PART: 341 TYPE A

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B
35101	80	M10
35102	100	M10
35103	150	M10
35151	80	M8
35152	100	M8
35153	150	M8




# 3004

Stainless steel rod  
USED WITH PART: 331 - 345 - 341 TYPE B

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B
300401	80	M10
300402	100	M10
300403	150	M10
300451	80	M8
300452	100	M8
300453	150	M8




# 352

Stainless steel rod  
USED WITH PART: 345 - 341 TYPE A

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B
35201	80	M10
35202	100	M10
35203	150	M10
35251	80	M8
35252	100	M8
35253	150	M8




# 3005

Stainless steel rod  
USED WITH PART: 331 - 345 - 341 TYPE B

Delivery: **Easy**  
**Standard**




Article-Nr.	A	B
300501	80	M10
300502	100	M10
300503	150	M10
300551	80	M8
300552	100	M8
300553	150	M8




# 347

Stainless steel rod  
Material: Stainless steel

Delivery: **Easy**  
**Standard**





Article-Nr.	A	B
34701	80	M10
34702	100	M10
34703	150	M10
34751	80	M8
34752	100	M8
34753	150	M8




# 348

Stainless steel rod  
Material: Stainless steel

Delivery: **Easy**  
**Standard**



Article-Nr.	A	B
34801	80	M10
34802	100	M10
34803	150	M10
34851	80	M8
34852	100	M8
34853	150	M8



# 346



## Stainless steel joint rod adapter

USED WITH PART: 331 - 345

Delivery: **Easy**  
**Standard**



Article-Nr.	A	B	C
34601	M8	M8	19
34602	M8	M10	19
34603	M10	M10	19
34699	M8	M8	16




# 357

## Stainless steel joint rod adapter

Material: Stainless steel

Delivery: **Easy**  
**Standard**



Article-Nr.	A
35701	80
35702	100
35703	150

